HP LaserJet Pro M203dw Printer, Black and white, Printer for Home and home office, Print, Two-sided printing

Brand : HP

Product family: LaserJet Pro

Product code: G3Q47A

Product name : HP LaserJet Pro M203dw Printer, Black and white, Printer for Home and home office, Print, Two-sided printing

- Two-sided printing
- Print
- Print speed up to 28 ppm (black)
- Up to 1200 x 1200 dpi
LaserJet Pro M203dw Printer

HP LaserJet Pro M203dw Printer, Black and white, Printer for Home and home office, Print, Two-sided printing:

Get more pages, performance, and protection[1] from a wireless HP LaserJet Pro powered by JetIntelligence Toner cartridges. Set a faster pace for your business: print two-sided documents right away, and easily manage to help maximise efficiency.

HP LaserJet Pro M203dw Printer, Black and white, Printer for Home and home office, Print, Two-sided printing. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 30000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 28 ppm, Duplex printing. Display: LED. Network ready, Wi-Fi. Product colour: White

Printing

Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Colour *	✘
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	28 ppm
Time to first page (black, normal)	6.7 s
Secure printing	✔

Features

Maximum duty cycle *	30000 pages per month
Recommended duty cycle	250 - 2500 pages per month
Printing colours *	Black
Number of print cartridges *	1
Page description languages *	PCL 5c, PCL 6, URF, PWG, PCLm, PDF
Printer fonts	Scalable, TrueType
Country of origin	Brazil, Vietnam
HP segment	Small medium business

Input & output capacity

Total number of input trays *	2
Total input capacity *	260 sheets
Total output capacity *	150 sheets
Paper tray 1 input capacity	10 sheets
Paper tray 2 input capacity	250 sheets
Paper input type	Paper tray
Maximum number of input trays	2
Maximum input capacity	260 sheets
Maximum output capacity	150 sheets

Power

Power consumption (printing) *	480 W
Power consumption (max)	480 W
Power consumption (ready)	1.9 W
Power consumption (standby)	1.9 W
Power consumption (PowerSave)	0.8 W
Power consumption (off)	0.5 W
Energy Star Typical Electricity Consumption (TEC)	0.318 kWh/week
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 7, Windows 8.1, Windows Vista, Windows 10, Windows 8, Windows 11
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.10 Yosemite, Mac OS X 10.12 Sierra
Other operating systems supported	Linux

Operational conditions

Operating temperature (T-T)	15 - 32.5 °C
Operating relative humidity (H-H)	10 - 80%

Sustainability

Sustainability compliance	✔
Sustainability certificates	EPEAT Silver, ENERGY STAR, Blue Angel
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury

Weight & dimensions

Width	370.5 mm
Depth	407.4 mm

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Envelopes, Rough paper, Photo paper, Plain paper, Postcard, Card stock, Labels
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
JIS B-series sizes (B0...B9)	B5
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 163 g/m²

Ports & interfaces

Standard interfaces	RJ-45, USB, Wireless LAN
USB port *	✓
USB 2.0 ports quantity	1

Network

Network ready	✓
Wi-Fi *	✓
Ethernet LAN *	✓
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi Direct	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Mobile printing technologies	Google Cloud Print, Apple AirPrint, HP ePrint

Performance

Internal memory *	256 MB
Maximum internal memory	256 MB
Built-in processor	✓
Processor frequency	800 MHz
Sound pressure level (printing)	53 dB
Sound power level (printing)	6.6 dB
Sound power level (standby)	2.6 dB

Design

|	
Market positioning *	Home & office
Product colour *	White
Built-in display *	✓
Display	LED
Control type	Buttons
Certification	CISPR 22:2008 / EN 55022:2010 - Class B, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2013, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6, GB9254-2008, GB17625.1-2012

Weight & dimensions

Height	223.9 mm
Weight	6.9 kg

Packaging data

Package width	438 mm
Package depth	278 mm
Package height	466 mm
Package weight	9.2 kg

Packaging content

Cartridge(s) included	✓
Included cartridge capacity (black)	1000 pages
Warranty card	✓
Drivers included	✓
Cables included	AC

Brand-specific features

HP ePrint	✓
HP Auto-On/Auto-Off	✓
HP Management tools	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager
HP Software provided	HP Software Installer; HP Software Uninstaller (exclude Win8+); HP PCL6 Printer Driver, HP Device Experience (DXP), HP Connected, Device Setup & Software; HP Printer Assistant; HP Product Improvement Study

Logistics data

Harmonized System (HS) code	8443321010

Technical details

Master (outer) cases per pallet layer	9 pc(s)
EAN/UPC/GTIN and local identifier(s)	(ABT) 889894212740; (ABY) 889894212757; (ACQ) 889894212764; (B19) 889894212771; (BAZ) 889894212788
EAN/UPC/GTIN identifier(s)	889894212740, 889894212757, 889894212764, 889894212771, 889894212788

Other features

Recommended system requirements	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8
Recommended humidity operating range	30 - 70%
Acoustic power emissions (ready)	26 dB
Acoustic pressure emissions bystander (ready)	16 dB

|||||||| ||| ||| |||||||||| ||| |||| |||

0889894212825

|||||||||| ||| ||| |||||||| ||| ||| |||| |||

889894212825

|||||||| ||| ||| ||||||||| |||| |||

0889894212788

|||||||||| ||| ||| |||||||| ||| ||| |||| |||

889894212788

|||||||| ||| ||| ||||||||| ||| | |||

0889894212764

|||||||||| ||| ||| |||||||| ||| ||| |||| |||

889894212764

|||||||| ||| ||| ||||||||| ||||| |||

0889894212719

|||||||||| ||| ||| |||||||| ||| ||| |||| |||

889894212719

|||||||| ||| ||| |||||||||| ||||| ||

0889894212818

|||||||||| ||| ||| |||||||| ||| ||| |||| |||

889894212818

|||||||| ||| ||| |||||||||| ||| || |

0889894212726

|||||||||| ||| ||| |||||||| ||| ||| |||| |||

889894212726

0889894212696

889894212696

0889894212795

889894212795

0889894212801

889894212801

0889894212757

889894212757

0889894212740

889894212740

0889894212702

889894212702

0889894212733

889894212733

0889894212771

889894212771