



## HP Color LaserJet Enterprise M653dn, Print

**Brand :** HP

**Product family:** Color LaserJet Enterprise **Product code:** J8A04A

**Product name :** HP Color LaserJet Enterprise M653dn, Print

- Print  
- HP ImageRet 3600  
Color LaserJet Enterprise M653dn

HP Color LaserJet Enterprise M653dn, Print:


This HP Colour LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them - all while protecting your network with the industry's deepest security.<sup>[1]</sup>

HP Color LaserJet Enterprise M653dn, Print. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 120000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 56 ppm, Duplex printing. Display: CGD, Product colour: White



Printing		Design	
Duplex printing mode	Auto	Display	CGD
Print resolution colour	1200 x 1200 DPI	Colour display	✓
Print resolution black	1200 x 1200 DPI	Display diagonal	10.9 cm (4.3")
Print speed (colour, normal quality, A4/US Letter)	56 ppm	Touchscreen	✓
Colour *	✓	Control type	Touch
Print technology *	Laser	Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 6 Class A, Other EMC approvals as required by individual countries
Duplex printing *	✓		
Maximum resolution *	1200 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	56 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	56 ppm		
Duplex print speed (colour, normal quality, A4/US Letter)	56 ppm		
Time to first page (black, normal)	5.8 s		
Time to first page (colour, normal)	5.8 s		
Watermark printing	✓		
Secure printing	✓		
Features		Power	
Maximum duty cycle *	120000 pages per month	Power consumption (printing) *	780 W
Recommended duty cycle	2000 - 17000 pages per month	Power consumption (ready)	31 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (standby)	0.7 W
Number of print cartridges *	4	Power consumption (PowerSave)	0.7 W
Page description languages *	PCL 5c, PCL 6, PDF 1.7, PostScript 3, URF	Power consumption (off)	0.1 W
Printer fonts	PostScript, Scalable, TrueType, Windows	Energy Star Typical Electricity Consumption (TEC)	0.693 kWh/week
Country of origin	Japan, China	AC input voltage	100 - 240 V
HP segment	Business	AC input frequency	50/60 Hz
		System requirements	
		Windows operating systems supported	Windows 7, Windows 8.1, Windows Vista, Windows 10, Windows 8, Windows 11
		Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.12 Sierra


<b>Input &amp; output capacity</b>		<b>System requirements</b>	
Total number of input trays *	2	Linux operating systems supported	Debian 7.0, Debian 8.0, Fedora 22, Fedora 23, Linux Mint 12, Linux Mint 17, Linux Mint 17.1, Linux Mint 17.2, Ubuntu 12.04, Ubuntu 14.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10
Total input capacity *	650 sheets		
Total output capacity *	500 sheets	Other operating systems supported	Android, Linux
Paper tray 1 input capacity	100 sheets	<b>Operational conditions</b>	
Paper tray 2 input capacity	550 sheets	Operating temperature (T-T)	15 - 30 °C
Multi-Purpose tray	✓	Operating relative humidity (H-H)	10 - 80%
Multi-Purpose tray input capacity	100 sheets	<b>Sustainability</b>	
Maximum number of input trays	5	Sustainability compliance	✓
Maximum input capacity	3200 sheets	Sustainability certificates	EPEAT Silver, ENERGY STAR, Blue Angel, EPEAT Gold
Maximum output capacity	500 sheets	Sustainable technologies and materials	Mercury free
<b>Paper handling</b>		Doesn't contain	Mercury
Maximum ISO A-series paper size *	A4	<b>Weight &amp; dimensions</b>	
Paper tray media types *	Thick paper, Envelopes, Heavy paper, Rough paper, Letterhead, Bond paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper, Glossy paper	Width	510 mm
	ISO A-series sizes (A0...A9) *	Depth	458 mm
ISO B-series sizes (B0...B9)	B5, B6	Height	510 mm
ISO C-series sizes (C0...C9)	C5, C6	Weight	31.3 kg
Non-ISO print media sizes	Oficio, 16K	<b>Packaging data</b>	
Envelopes sizes	B5, C5, C6, DL	Package width	653 mm
Photo paper sizes	10x15 cm	Package depth	596 mm
Custom media width	76 - 216 mm	Package height	578 mm
Custom media length	127 - 356 mm	Package weight	36 kg
Paper tray media weight	60 - 220 g/m <sup>2</sup>	<b>Packaging content</b>	
<b>Ports &amp; interfaces</b>		Cartridge(s) included	✓
Standard interfaces	USB 2.0	Included cartridge capacity (black)	12500 pages
USB port *	✓	Included cartridge capacity (CMY)	10500 pages
USB 2.0 ports quantity	3	Drivers included	✓
<b>Network</b>		Software CD	✓
Ethernet LAN *	✓	Documentation CD	✓
Cabling technology	10/100/1000Base-T(X)	Cables included	AC
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>Brand-specific features</b>	
Security algorithms	SNMPv3, EAP-TLS, HTTPS, EAP-PEAP, IPsec, FIPS 140, SSL/TLS	HP Auto-On/Auto-Off	✓
Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service	<b>Logistics data</b>	
<b>Performance</b>		Harmonized System (HS) code	84433210
Internal memory *	1024 MB	<b>Technical details</b>	
Maximum internal memory	3072 MB	Master (outer) cases per pallet layer	2 pc(s)
Memory slots	1		(ABT) 889894758125; (ABY) 889894758132; (ACQ) 889894758149; (B19) 889894758163; (BAZ) 889894758170
Built-in processor	✓	EAN/UPC/GTIN and local identifier(s)	889894758125, 889894758132, 889894758149, 889894758163, 889894758170
Processor frequency	1200 MHz	EAN/UPC/GTIN identifier(s)	889894758125, 889894758149, 889894758163, 889894758170
Sound pressure level (printing)	54 dB	<b>Other features</b>	
Sound power level (printing)	6.9 dB	Recommended system requirements	2GB available hard disk space,
<b>Design</b>		Recommended humidity operating range	30 - 70%
Market positioning *	Business	Acoustic power emissions (ready)	46 dB
Product colour *	White	Acoustic pressure emissions bystander (ready)	31 dB
Built-in display *	✓		



0889894758170



889894758170




0889894758118



889894758118



0192018897007



192018897007



0889894758200



889894758200



0889894758224




889894758224



0889894758101




889894758101



0889894758149




889894758149




0889894758095



889894758095



0889894758194



889894758194



0889894758187



889894758187



0889894758132




889894758132



0889894758125



889894758125



0889894758088




889894758088



0889894758071



889894758071



0889894758217



889894758217



0889894758064



889894758064



0889894758163



889894758163



0889894758156



889894758156

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites or other information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.