



# HP Scanjet 7650n Flatbed scanner 2400 x 2400 DPI A4 Grey

Brand : HP

Product family: Scanjet

Product code: L1942A

Product name : 7650n

A4, Flatbed, 2400dpi, 48-bit, 10/100 Ethernet, USB 2.0

HP Scanjet 7650n Flatbed scanner 2400 x 2400 DPI A4 Grey:

Beat faxing, mail and courier delivery for speed, cost and safety with the HP Scanjet 7650n Network Scanner. Instantly transform all kinds of office documents into digital format and share them over IP networks or e-mail with your business partners. Installation effort is minimal since your existing IT infrastructure/IP network can be used. Security features ensure safe arrival at destination. All this is combined with the speed, reliability and scan quality of the HP Scanjet 7650.



<b>Scanning</b>		<b>Power</b>	
Maximum scan size *	216 x 297 mm	Power consumption (typical)	36 W
Optical scanning resolution *	2400 x 2400 DPI	AC input frequency	50 - 60 Hz
Colour scanning	✓	Input voltage	100-240 V
Duplex scanning *	✗	<b>Network</b>	
Input colour depth	48 bit	Ethernet LAN	✓
Film scanning	✗	Supported network protocols	HTTP, IP, FTP, SMTP, TCP, LPD, Raw TCP/IP, ARP, RARP, BOOTP, DHCP, ICMP, SNMP, UDP, LDAP v.1 et v.3, NTP, WINS, SMB
Greyscale levels	256	<b>Packaging data</b>	
ADF scan speed (b/w, A4)	12 ppm	Package weight	9.9 kg
Flatbed scan speed (b/w, A4)	6 sec/page	<b>System requirements</b>	
<b>Design</b>		Minimum storage drive space	450 MB
Scanner type *	Flatbed scanner	Minimum RAM	256 MB
Product colour *	Grey	Minimum processor	500MHz
Display	LCD	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Built-in display *	✓	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
<b>Performance</b>		<b>Operational conditions</b>	
Sensor type *	CCD	Operating temperature (T-T)	5 - 40 °C
Light source	Xenon FL	Storage temperature (T-T)	-40 - 70 °C
Scan file formats	GIF, HTM, PCX, PDF, PNG, RTF, TIFF	Operating relative humidity (H-H)	15 - 85%
Daily duty cycle (max) *	500 pages	Storage relative humidity (H-H)	0 - 90%
<b>Input capacity</b>		Operating temperature (T-T)	50 - 95 °F
Standard input capacity	50 sheets		
<b>Paper handling</b>			
Scanning media types supported	Card stock, Envelopes, Photo paper, Plain paper		
Multi feed detection	✓		
Maximum ISO A-series paper size *	A4		
Auto Document Feeder (ADF) media weight	60 - 90 g/m <sup>2</sup>		
Maximum scan area (ADF)	216 x 297 mm		
Minimum scan area (ADF)	127 x 88.9 mm		
<b>Ports &amp; interfaces</b>			
USB port *	✓		
USB version	2.0		
Standard interfaces	Ethernet, USB 2.0		
<b>Power</b>			
Power supply type *	AC		

**Certificates**

Certification	CE, FCC, SMA, GOST, MIC, BSMI
---------------	-------------------------------

**Weight & dimensions**

Width	488 mm
Depth	340 mm
Height	162 mm
Weight	5.73 kg

**Packaging content**

Cables included	USB
Quick start guide	✓
AC adapter included	✓
Drivers included	✓

**Technical details**

Sustainability certificates	ENERGY STAR
-----------------------------	-------------



8827802042562



0882780204232



882780204232



0882780204249



882780204249



0882780204133



882780204133



0882780204263



882780204263




0882780204270



882780204270



0882780204287



882780204287




0882780204256



882780204256



0882780204140



882780204140



0882780204157



882780204157



0882780204164



882780204164



0882780204171



882780204171



0882780204188



882780204188



0882780204195



882780204195



0882780204201



882780204201



0882780204218



882780204218



0882780204225



882780204225



0882780204294



882780204294

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.