

Linksys

Linksys LAPAC1300C wireless access point 1300 Mbit/s White Power over Ethernet (PoE)

Brand : Linksys

Product code: LAPAC1300C

Product name : LAPAC1300C

- 1 Gigabit Ethernet Uplink Port
- 802.3af PoE and 802.3at PoE+ Compliant
- Limited Lifetime Cloud Management
- 8 Wireless SSIDs
- WPA2 PSK/Enterprise
- 802.11k/r/v for Seamless Client Roaming
- Cloud Hosted Captive Portal Splash Page
- DHCP/NAT Mode + Wired LAN Isolation for Network Segmentation
- Bandwidth Limit per SSID and per Client
- Batch Remote Firmware Upgrade
- Two-Factor Authentication for Cloud Account Login

Cloud Managed AC1300 WiFi 5 Indoor Wireless Access Point TAA Compliant

Linksys LAPAC1300C. Maximum data transfer rate: 1300 Mbit/s, Maximum data transfer rate (2.4 GHz): 400 Mbit/s, Maximum data transfer rate (5 GHz): 867 Mbit/s. Security algorithms: WPA, WPA2. AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz, DC voltage range: 12 V. Placement: Ceiling, Wall, Product colour: White, LED indicators: System. Antenna type: Internal, Antenna gain level (max): 5 dBi



Features		Design	
2.4 GHz *	✓	Placement *	Ceiling, Wall
5 GHz *	✓	Product colour *	White
6 GHz *	✗	Reset button	✓
Maximum data transfer rate *	1300 Mbit/s	LED indicators	System
Maximum data transfer rate (2.4 GHz)	400 Mbit/s	Country of origin	Taiwan
Maximum data transfer rate (5 GHz)	867 Mbit/s	Certification	FCC Class B, CE Class B, UKCA Class B
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna	
Frequency band	2.4 - 5 GHz	Antenna type *	Internal
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3af, IEEE 802.3at	Antennas quantity	4
Cabling technology	10/100/1000Base-T(X)	Antenna gain level (max)	5 dBi
MIMO	✓	Weight & dimensions	
MIMO type	Multi User MIMO	Width	172.7 mm
Wi-Fi Multimedia (WMM)/(WME)	✓	Depth	165.1 mm
Wireless isolation	✓	Height	35.1 mm
Transmitting power (FCC)	17 dBm	Weight	390 g
Security		Packaging data	
Security algorithms *	WPA, WPA2	Package width	315 mm
Protocols		Package depth	178.1 mm
DHCP server	✓	Package height	45 mm
DHCP client	✓	Package weight	550 g
Ports & interfaces		Package type	Box
Ethernet LAN (RJ-45) ports *	1	Packaging content	
DC-in jack	✓	Number of products included	1 pc(s)
Power		AC adapter included	✓
Power over Ethernet (PoE) *	✓	Operational conditions	
AC input voltage	100 - 240 V	Operating relative humidity (H-H)	0 - 90%
AC input frequency	50/60 Hz	Operating temperature (T-T)	0 - 40 °C
DC voltage range	12 V	Storage temperature (T-T)	-20 - 70 °C
Input current	1 A	Storage relative humidity (H-H)	0 - 90%

Power

Power consumption (max) 11 W

Logistics data

Harmonized System (HS) code 85176990



4260184671120



0745883785988



745883785988

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.