

Linksys

Linksys Indoor WiFi 6 Cloud Managed MU-MIMO dual-band wireless access point AX3600

Brand : Linksys

Product code: LAPAX3600C

Product name : Indoor WiFi 6 Cloud Managed MU-MIMO dual-band wireless access point AX3600



- 4x4: 4 Internal Antennas for AX3600 Speeds (1200Mbps + 2400Mbps)
 - UL /DL OFDMA , 1024 - QAM , Target Wake Time
 - BSS Coloring, Tx Beamforming
 - 1x 2.5 GbE + 1x Gigabit Ethernet Uplink Port8
 - 802.3at PoE+ Compliant
 - 8 Wireless SSIDs
 - WPA2 PSK /Enterprise
 - 802.11k /r/v for Seamless Client Roaming
 - DHCP/NAT Mode + Wired LAN Isolation for Network Segmentation
 - Bandwidth Limit per SSID and per Client
 - Batch Remote Firmware Upgrade
 - Two - Factor Authentication for Cloud Account Login
- AX3600, 2.4/5GHz, 1200 + 2400 Mbps, MU-MIMO 4x4, 802.11a/b/g/n/ac/ax, 205 x 205 x 34 mm, 812.6 g

Features		Design	
2.4 GHz *	✓	Reset button	✓
5 GHz *	✓	LED indicators	✓
6 GHz *	✗	Country of origin	Taiwan
Maximum data transfer rate *	3600 Mbit/s	Certification	FCC Class B, CE Class B
Maximum data transfer rate (2.4 GHz)	1200 Mbit/s	Antenna	
Maximum data transfer rate (5 GHz)	2400 Mbit/s	Antenna type *	Internal
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Antennas quantity	8
Frequency band	2.4 - 5 GHz	Antenna gain level (max)	5.19 dBi
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3bz, IEEE 802.3u	Performance	
MIMO	✓	Built-in processor	✓
MIMO type	Multi User MIMO	Weight & dimensions	
Wi-Fi Multimedia (WMM)/(WME)	✓	Width	200.9 mm
Wireless isolation	✓	Depth	200.9 mm
Security		Height	42.9 mm
Security algorithms *	WPA, WPA2	Weight	920 g
Number of SSID supported	8	Packaging data	
Protocols		Package width	326.9 mm
DHCP server	✓	Package depth	213.1 mm
DHCP client	✓	Package height	46 mm
Ports & interfaces		Package weight	1.11 kg
Ethernet LAN (RJ-45) ports *	2	Package type	Box
USB 2.0 ports quantity *	1	Packaging content	
DC-in jack	✓	Number of products included	1 pc(s)
Power		AC adapter included	✗
Power over Ethernet (PoE) *	✓	Operational conditions	
Input current	2.5 A	Operating relative humidity (H-H)	0 - 90%
Output voltage	12 V	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-40 - 70 °C
		Storage relative humidity (H-H)	0 - 90%

Power		Logistics data	
Power consumption (max)	24 W	Harmonized System (HS) code	85176990
Design			
Placement *	Ceiling, Wall		
Product colour *	White		



0745883824793



745883824793



4260184672363

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.