

## Brother MFC-9130CW multifunction printer LED A4 600 x 2400 DPI 19 ppm Wi-Fi

**Brand :** Brother

**Product code:** MFC-9130CW

**Product name :** MFC-9130CW

600 x 2400 DPI, 19/19 ppm, 33.6 Kbit/s, ADF, 48-bit, 802.11 b/g/n, USB 2.0, 22498g, Grey  
 Brother MFC-9130CW. Print technology: LED, Printing: Colour printing, Maximum resolution: 600 x 2400 DPI, Print speed (colour, normal quality, A4/US Letter): 19 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Grey



Printing		Paper handling	
Print technology *	LED	Paper tray media weight (imperial)	7.26 - 12.7 kg (16 - 28 lbs)
Printing *	Colour printing	Ports & interfaces	
Duplex printing *	✗	Standard interfaces	USB 2.0
Maximum resolution *	600 x 2400 DPI	Direct printing *	✗
Print speed (black, normal quality, A4/US Letter) *	19 ppm	USB port	✓
Print speed (colour, normal quality, A4/US Letter)	19 ppm	USB 2.0 ports quantity	2
Copying		Network	
Duplex copying *	✗	Wi-Fi *	✓
Copying *	Colour copying	Ethernet LAN *	✗
Maximum copy resolution *	600 x 600 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copy speed (black, normal quality, A4)	19 cpm	Security algorithms	128-bit WEP, 64-bit WEP, 802.1x RADIUS, EAP, EAP-TLS, EAP-TTLS, LEAP, PEAP, TKIP, WPA-PSK, WPA2-AES, WPA2-PSK
Copy speed (colour, normal quality, A4)	19 cpm	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Client and Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH, SNMPv1/v2c/v3, ICMP, LLTD responder, WebServicesPrint/Scan, CIFS Client, SNTTP, SSL/TLS
Maximum number of copies	35 copies		
Copier resize	25 - 400%		
N-in-1 copy function (N=)	2, 4		
Scanning			
Duplex scanning *	✗		
Scanning *	Colour scanning		
Optical scanning resolution *	1200 x 2400 DPI		
Maximum scan resolution	19200 x 19200 DPI		
Scanner type *	Flatbed & ADF scanner		
Scan to	CIFS, E-mail, E-mail Server, FTP, Image, OCR		
Image formats supported	BMP, JPG, TIF		
Document formats supported	PDF		

<b>Scanning</b>		<b>Network</b>	
Input colour depth	48 bit	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Client and Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH, SNMPv1/v2c/v3, ICMPv6, LLTD responder, WebServicesPrint/Scan, CIFS Client, SNTTP, SSL/TLS	
Output colour depth	48 bit		
<b>Fax</b>		Supported network protocols (IPv6)	
Duplex faxing	✘	Mobile printing technologies	
Faxing *	Mono faxing		
Fax transmission speed	2 sec/page	Apple AirPrint, Google Cloud Print	
Modem speed	33.6 Kbit/s	<b>Performance</b>	
Fax memory	500 pages	Card reader integrated	✘
Auto-redialing	✓	Internal memory *	192 MB
Fax forwarding	✓	Sound pressure level (copying)	53 dB
Fax broadcasting	250 locations	Sound pressure level (quiet mode)	30 dB
Auto reduction	✓	<b>Design</b>	
Fax dual access	✓	Product colour *	Grey
Fax coding methods	JBIG, JPEG, MH, MMR, MR	Market positioning *	Business
<b>Features</b>		Built-in display *	✓
Maximum duty cycle *	300000 pages per month	Display	LCD
Digital sender	✘	Display diagonal	9.4 cm (3.7")
Number of print cartridges *	4	Touchscreen	✓
Printing colours *	Black, Cyan, Magenta, Yellow	Control type	Touch
<b>Input &amp; output capacity</b>		<b>Power</b>	
Total number of input trays *	1	Power consumption (average operating)	380 W
Total input capacity *	250 sheets	Power consumption (standby)	1.8 W
Total output capacity *	100 sheets	AC input voltage	110 - 120 V
Paper input type	Paper tray	AC input frequency	50 - 60 Hz
Maximum number of input trays	1	<b>System requirements</b>	
<b>Paper handling</b>		Windows operating systems supported	
Maximum ISO A-series paper size *	A4	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64	
Maximum print size	216 x 356 mm	Mac operating systems supported	
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Labels, Plain paper, Recycled paper	✓	
ISO A-series sizes (A0...A9) *	A4, A5	<b>Operational conditions</b>	
ISO B-series sizes (B0...B9)	B5	Operating relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	10 - 32 °C
		<b>Sustainability</b>	
		Sustainability certificates	ENERGY STAR
		<b>Weight &amp; dimensions</b>	
		Width	408.9 mm
		Depth	482.6 mm
		Height	408.9 mm
		Weight	22.5 kg
		<b>Packaging data</b>	
		Package width	601.9 mm
		Package depth	533.4 mm
		Package height	563.8 mm
		Package weight	26.2 kg
		<b>Packaging content</b>	
		Drivers included	✓



0012502634799



012502634799

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.