

Brother MFC-J430W multifunction printer Inkjet A4 6000 x 1200 DPI 33 ppm Wi-Fi



Brand : Brother

Product code: MFC-J430W

Product name : MFC-J430W

MFC-J430W, 6000 x 1200 dpi, color, wireless 802.11b/g/n and usb, fax, pc fax, scan, black

Brother MFC-J430W multifunction printer Inkjet A4 6000 x 1200 DPI 33 ppm Wi-Fi:



Complete your modern office with the Brother™ MFC-J430w. This stylish inkjet all-in-one with wireless networking and an auto document feeder is compact, easy-to-use and allows you to print, scan, copy, and fax. Share the MFC-J430w with multiple computers on a network using the wireless (802.11b/g/n) network connection. Fast print speeds up to 33 ppm black/ 26 ppm color (Fast mode)). ISO standard 10 ppm black / 8ppm color (ISO/IEC 24734)). Compatible with Brother™ iPrint&Scan free app download that allows you to print images (jpeg and PDF) from and scan to your Apple®, Android™ or Windows® Phone 7 (JPEG only) mobile device. The 4-cartridge ink system allows you to only change the cartridge that needs to be replaced.

Printing		Paper handling	
Print technology *	Inkjet	Borderless printing media sizes	4x6, 5x7, A4, A6, Index card, Letter
Printing *	Colour printing	Paper tray media weight	64 - 220 g/m ²
Duplex printing *	✗	Auto Document Feeder (ADF) media weight	64 - 90 g/m ²
Maximum resolution *	6000 x 1200 DPI	Ports & interfaces	
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Standard interfaces	USB 2.0, Wireless LAN
Print speed (colour, normal quality, A4/US Letter)	26 ppm	Direct printing *	✗
Economical printing	✓	USB port	✓
Copying		USB 2.0 ports quantity	1
Duplex copying *	✗	Network	
Copying *	Colour copying	Wi-Fi *	✓
Maximum copy resolution *	1200 x 1200 DPI	Ethernet LAN *	✗
Copy speed (black, normal quality, A4)	22 cpm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copy speed (colour, normal quality, A4)	20 cpm	Security algorithms	128-bit WEP, 64-bit WEP, SSID, TKIP, WEP, WPA-PSK, WPA-TKIP, WPA2-PSK
Time to first copy (black, normal)	24 s	Mobile printing technologies	Apple AirPrint, Google Cloud Print
Time to first copy (colour, normal)	24 s	Performance	
Maximum number of copies	99 copies	Card reader integrated	✗
Copier resize	25 - 400%	Internal memory *	40 MB
N-in-1 copy function (N=)	2, 4	Processor family	RISC
PC free copying	✓	Processor frequency	192 MHz
Scanning		Sound pressure level (printing)	50 dB
Duplex scanning *	✗	Design	
Scanning *	Colour scanning	Product colour *	Black
Optical scanning resolution *	1200 x 2400 DPI	Market positioning *	Home & office
Maximum scan resolution	19200 x 19200 DPI	Built-in display *	✓
Maximum scan area	A4 (210 x 297)	Display	LCD
Scanner type *	Flatbed & ADF scanner	Display diagonal	4.83 cm (1.9")
Scan technology	CIS	Touchscreen	✗
Scan to	E-mail, File, Image, OCR	Power	
Image formats supported	BMP, JPG, PNG, TIF	Power consumption (average operating)	19 W
Input colour depth	36 bit	Power consumption (PowerSave)	2 W
Output colour depth	24 bit	Power consumption (standby)	5.5 W
Greyscale levels	256	AC input voltage	220 - 240 V
Fax		AC input frequency	50 - 60 Hz
Duplex faxing	✗		

Fax		System requirements	
Faxing *	Colour faxing		Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Fax resolution (black)	203 x 392 DPI		
Fax transmission speed	7 sec/page		
Modem speed	14.4 Kbit/s		
Fax memory	170 pages		
Fax speed dialing (max numbers)	40	Windows operating systems supported	
Fax forwarding	✓		
Fax broadcasting	90 locations		
Auto reduction	✓		
Error Correction Mode (ECM)	✓		
Fax dual access	✓		
Fax coding methods	JPEG, MH, MMR, MR		
Caller ID	✓		
Features		Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Digital sender	✗	Linux operating systems supported	✓
Number of print cartridges *	4	Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64
Printing colours *	Black, Cyan, Magenta, Yellow		
All-In-One-multitasking	✓		
Input & output capacity		Operational conditions	
Total input capacity *	100 sheets	Operating relative humidity (H-H)	20 - 80%
Total output capacity *	50 sheets	Operating temperature (T-T)	68 - 78.8 °C
Paper input type	Cassette	Sustainability	
Auto document feeder (ADF)	✓	Sustainability certificates	ENERGY STAR
Auto document feeder (ADF) input capacity	15 sheets	Weight & dimensions	
Paper handling		Width	405 mm
Maximum ISO A-series paper size *	A4	Depth	378 mm
Maximum print size	210 x 297 mm	Height	180 mm
Paper tray media types *	Glossy paper, Photo paper, Plain paper, Transparencies	Weight	9 kg
ISO A-series sizes (A0...A9) *	A4, A5, A6	Packaging data	
Non-ISO print media sizes	Index card	Package weight	10.1 kg
Photo paper sizes (imperial)	4x6,5x7,5x8,8.5x11	Packaging content	
		Drivers included	✓
		Bundled software	Brother MFL-Pro Suite Brother ControlCentre4 (Win) Nuance® Paperport® 12 SE + OCR (Win) Reallusion® FaceFilter Studio (Win8) Brother ControlCentre2 (Mac) NewSoft® Presto!® PageManager9 (Mac)
Other features		Network ready	✓
		PictBridge	✗
		All-in-one functions	Copy, Fax, Print, Scan
		Colour all-in-one functions	Copy, Fax, Print, Scan
		Energy saving mode	✓
		Package dimensions (WxDxH)	485 x 265 x 470 mm
		Scan speed	3.37 sec/page

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-JAN-2024. Prints or copies of Information are only valid on the printed Publication date