



Fujitsu FI-7900 ADF + Manual feed scanner 600 x 600 DPI A3 Black, Grey

Brand : Fujitsu

Product code: PA03800-B005

Product name : FI-7900

ADF, 600 dpi, 140ppm/280ipm, A3, Duplex, USB2.0, White LED Array x 4

Fujitsu FI-7900. Maximum scan size: 304.8 x 431.8 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: ADF + Manual feed scanner, Product colour: Black, Grey. Sensor type: Dual CCD, Daily duty cycle (max): 120000 pages, Light source: White LED (4x). Auto document feeder (ADF) input capacity: 500 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, A4, A5, A6, ISO B-series sizes (B0...B9): B5, B6



Scanning		Paper handling	
Maximum scan size *	304.8 x 431.8 mm	ISO B-series sizes (B0...B9)	B5, B6
Optical scanning resolution *	600 x 600 DPI	Letter	✓
Colour scanning	✓	Legal	✓
Duplex scanning *	✓	Auto Document Feeder (ADF) media weight	20 - 209 g/m ²
Output colour depth	24 bit	Maximum scan length	5.59 m
Output greyscale depth	8 bit	Minimum scan area (ADF)	52 x 74 mm
Output monochrome depth	1 bit	Ports & interfaces	
ADF scan speed (b/w, A4)	140 ppm	USB port *	✓
Black/white scanning colour modes	Grayscale, Monochrome	USB version	2.0
Selectable background colour	✓	USB connector type	USB Type-B
Background colours	Black, White	Standard interfaces	USB 2.0
Design		Power	
Scanner type *	ADF + Manual feed scanner	Power supply type *	AC
Product colour *	Black, Grey	Power consumption (typical)	200 W
Built-in display *	✓	Power consumption (off)	0.3 W
Performance		Sleep mode	✓
Sensor type *	Dual CCD	Power consumption (sleep)	3.2 W
Light source	White LED (4x)	System requirements	
Daily duty cycle (max) *	120000 pages	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 8
Scan drivers	ISIS, TWAIN, WIA	Operational conditions	
Scanner error detection	✓	Operating temperature (T-T)	5 - 35 °C
Ultrasonic double sheet detection	✓	Operating relative humidity (H-H)	20 - 80%
Input capacity		Weight & dimensions	
Auto document feeder (ADF) input capacity	500 sheets	Width	460 mm
Paper handling		Depth	430 mm
Multi feed detection	✓	Height	310 mm
Long-paper mode	✓	Weight	32 kg
Maximum ISO A-series paper size *	A3	Packaging content	
ISO A-series sizes (A0...A9)	A3, A4, A5, A6	Drivers included	✓

Technical details

Sustainability certificates

RoHS, ENERGY STAR

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-JAN-2024. Prints or copies of Information are only valid on the printed Publication date