

## Intel Xeon w9-3495X processor 1.9 GHz 105 MB Smart Cache

Brand : Intel

Product family: Xeon

Product code:  
PK8071305081500

Product name : w9-3495X

PK8071305081500

Intel Xeon w9-3495X. Processor family: Intel Xeon W, Processor socket: LGA 4677 (Socket E), Processor manufacturer: Intel. Memory channels: Octa-channel, Maximum internal memory supported by processor: 4 TB, Memory types supported by processor: DDR4-SDRAM. Market segment: Workstation, Use conditions: Workstation, Supported instruction sets: SSE4.1, AMX, SSE4.2, AVX 2.0, AVX-512. Intel® Turbo Boost Max Technology 3.0 frequency: 4.8 GHz, Intel® Turbo Boost Technology 2.0 frequency: 4.6 GHz, Intel® QuickAssist Technology (QAT): 0 default devices. Processor package size: 77.5 x 56.5 mm



Processor		Processor special features	
Processor manufacturer *	Intel	Intel® Total Memory Encryption	✓
Processor model *	w9-3495X	Intel® Control-flow Enforcement Technology (CET)	✓
Processor base frequency *	1.9 GHz	Intel® Platform Firmware Resilience Support	✓
Processor family *	Intel Xeon W	Intel VT-x with Extended Page Tables (EPT)	✓
Processor cores *	56	Intel® Active Management Technology (Intel® AMT)	✓
Processor socket *	LGA 4677 (Socket E)	Intel® OS Guard	✓
Processor threads	112	Intel Software Guard Extensions (Intel SGX)	✗
Processor operating modes *	64-bit	Intel 64	✓
Performance cores	56	Intel Virtualization Technology (VT-x)	✓
Processor boost frequency	4.8 GHz	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Processor cache	105 MB	Intel Turbo Boost Max Technology 3.0	✓
Processor cache type	Smart Cache	AVX-512 Fused Multiply-Add (FMA) units	2
Box *	✗	Intel® Boot Guard	✓
Processor base power	350 W	Intel® Deep Learning Boost (Intel® DL Boost)	✓
Maximum turbo power	420 W	Intel® Resource Director Technology (Intel® RDT)	✗
Stepping	E5	Mode-based Execute Control (MBE)	✓
Bus type	DMI4	Intel® Optane™ DC Persistent Memory Supported	✗
Maximum number of DMI lanes	8	Intel® vPro™ Platform Eligibility	✓
Processor codename	Sapphire Rapids	Intel® One-Click Recovery	✗
Processor ARK ID	233483	Intel® Remote Platform Erase (RPE)	✗
<b>Memory</b>		Intel® Virtualization Technology with Redirect Protection (VT-rp)	✓
Maximum internal memory supported by processor	4 TB	Intel vPro® Enterprise Platform Eligibility	✓
Memory types supported by processor	DDR4-SDRAM	Intel® Threat Detection Technology (TDT)	✗
Memory channels *	Octa-channel	Intel® Total Memory Encryption - Multi Key	✗
ECC	✓	Intel® QuickAssist Software Acceleration	✗
<b>Graphics</b>		Intel® QuickAssist Technology (QAT)	0 default devices
On-board graphics card *	✗		
Discrete graphics card *	✗		
On-board graphics card model *	Not available		
Discrete graphics card model *	Not available		
<b>Features</b>			
Execute Disable Bit	✓		
Market segment	Workstation		
Use conditions	Workstation		
Maximum number of PCI Express lanes	112		
PCI Express slots version	5.0		

Features		Processor special features	
Supported instruction sets	SSE4.1, AMX, SSE4.2, AVX 2.0, AVX-512	Intel® Dynamic Load Balancer (DLB)	0 default devices
Scalability	1S	Intel® Data Streaming Accelerator (DSA)	1 default devices
CPU configuration (max)	1	Intel® In-memory Analytics Accelerator (IAA)	0 default devices
Embedded options available	✗	Intel® Advanced Matrix Extensions (AMX)	✓
Direct Media Interface (DMI) Revision	4.0	<b>Operational conditions</b>	
Export Control Classification Number (ECCN)	5A992C	Tcase	81 °C
Commodity Classification Automated Tracking System (CCATS)	G180729	DTS Max	99 °C
Processor special features		Technical details	
Intel® Hyper Threading Technology (Intel® HT Technology)	✓	Launch date	Q1'23
Intel® Turbo Boost Technology	2.0	Status	Launched
Intel® AES New Instructions (Intel® AES-NI)	✓	Memory speed (max)	4800 MHz
Enhanced Intel SpeedStep Technology	✓	Package carrier	E1A
Intel Trusted Execution Technology	✓	<b>Logistics data</b>	
Intel® Speed Shift Technology	✓	Harmonized System (HS) code	8542310001
Intel® Turbo Boost Max Technology 3.0 frequency	4.8 GHz	<b>Weight &amp; dimensions</b>	
Intel® Turbo Boost Technology 2.0 frequency	4.6 GHz	Processor package size	77.5 x 56.5 mm
Intel® Transactional Synchronization Extensions	✓	<b>Other features</b>	
		Maximum internal memory	4 TB



8592978445362

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.