

Brother PT-D600VP label printer Thermal transfer 180 x 360 DPI 30 mm/sec Wired TZe QWERTY



Brand : Brother

Product code: PT-D600VP

Product name : PT-D600VP

- Full-color graphical display: View label appearance before printing
 - PC-Connectable: Use stand-alone, or connected to a PC or Mac for added design capabilities
 - Split-back tapes: Uses durable, easy-peel tapes in 5 different widths up to 24mm (approx. 1")
 - Supports large character printing: Print up to 8 font sizes
 - Multi-line labels: Prints labels with up to 7 lines of text
 - Personalize labels: Use 14 fonts, 11 styles, 99 frames, over 600 symbols, plus barcodes
 - Large Memory: Save up to 99 commonly used labels and help save time with reprinting
 - Specialty templates: Print labels for asset management, cable labeling – even add time and date
 - High-resolution PC-printing: For crisp graphic, barcode, and logo printing
 - Super-fast print speeds: With Automatic Tape Cutter for high-volume jobs
 - Full Kit: AC adapter, USB cable, carry case and 0.94" (24mm) "TZe" starter tape included
- 3.5 - 24mm TZe, QWERTY, 180 x 360 dpi, USB, LCD, 950 g

Printing		Design	
Print technology *	Thermal transfer	Display number of lines	3 lines
Maximum resolution *	180 x 360 DPI	Display number of characters	20
Print speed *	30 mm/sec	Keyboard layout	QWERTY
Maximum printing width *	2.4 cm	Power	
Maximum print height	1.8 cm	Battery type	AA
Vertical printing	✓	Number of batteries supported	6
Mirror printing	✓	Auto power off	✓
Text alignment	Center, Justify, Left, Right	System requirements	
Text style	Bold, Italic, Normal, Shadow	Windows operating systems supported Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64	
Paper handling			
Autocutter	✓		
Maximum label width	2.4 cm		
Ports & interfaces			
Connectivity technology *	Wired		
Ethernet LAN *	✗		
Wi-Fi *	✗		
USB port *	✓		
USB 2.0 ports quantity	1		
Performance		Mac operating systems supported Mac OS X 10.10 Yosemite, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks	
Internal memory	99 MB	Weight & dimensions	
Built-in barcodes	1D, 2D, CODABAR (NW-7), Code 128 (A/B/C), Code 39, EAN128, EAN13, EAN8, GS1-128, ITF-25, UPC-A, UPC-E	Width	201 mm
Number of symbols	617	Depth	86 mm
Number of fonts	12	Height	192 mm
Tape type	TZe		
Tape cutting	Automatic		
Image formats supported	BMP, JPG, TIF		
Number of styles	11		
Number of printing lines (max)	7		
Underline	✓		
Design			
Product colour *	Black		
Display *	LCD		
Backlight display	✓		

Weight & dimensions

Weight	950 g
--------	-------

Packaging data

Package type	Box
--------------	-----

Packaging content

Cables included	USB
Bundled software	P-touch Editor 5 professional
Quick start guide	✓
Warranty card	✓
AC adapter included	✓
Carrying case	✓
Starter roll included	✓

Logistics data

Harmonized System (HS) code	84433210
-----------------------------	----------

Other features

Memory capacity	2800 characters
Print preview	✓
Number of frames	99
Date & time printing	✓



0012502639428




012502639428



4977766745734




4977766746151



4977766746212



4977766746137



4977766746199



4977766746243

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.