



# HPE NVIDIA Tesla P40 24GB Computational Accelerator (Q0V80C)

## Server Accelerators



### What's new

- NVIDIA Quadro P1000 Graphics Accelerator.
- NVIDIA Quadro P2200 Graphics Accelerator.

### Overview

Do you require higher performance computation for deep learning, high-performance computing (HPC) workloads, or graphics?

Companies are facing greater computational and graphics requirements as large and complex computational models become more commonplace. Traditional CPU technology is no longer able to keep up with these increasing demands. NVIDIA® accelerators for HPE ProLiant servers seamlessly integrate GPU computing with select HPE server families. Designed for power-efficient, high-performance supercomputing, NVIDIA accelerators deliver dramatically

higher application acceleration than a CPU-only approach for a range of deep learning, scientific, and commercial applications. The thousands of NVIDIA CUDA® cores of each accelerator allow it to divide large computing or graphics tasks into thousands of smaller tasks that can be run concurrently, thus enabling much faster simulations and improved graphics fidelity for extremely demanding 3D models.

## Features

### Increased Performance to Solve Problems Faster

The NVIDIA accelerators for HPE ProLiant servers improve computational performance, dramatically reducing the completion time for parallel tasks, offering quicker time to solutions.

Co-locating the NVIDIA Quadro® or NVIDIA GRID GPUs with computational servers, large data sets can be shared, dramatically improving display refresh rates.

These GPUs are specifically designed to enable rich graphics in virtualized environments. Hewlett Packard Enterprise can satisfy NVIDIA GRID software via HPE Complete.

NVIDIA accelerators can be configured and monitored by HPE Insight Cluster Management Utility (CMU). HPE Insight CMU monitors and displays GPU health and temperature, as well as installs and provisions the GPU drivers and CUDA software.

Technical specifications

HPE NVIDIA Tesla P40 24GB Computational Accelerator

|                                   |                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Number (SKU)              | Q0V80C                                                                                                                                                                                                                                                                                                                                                                               |
| Peak Single Precision Performance | 12 TFlops                                                                                                                                                                                                                                                                                                                                                                            |
| Number of accelerators per card   | 1                                                                                                                                                                                                                                                                                                                                                                                    |
| Cores                             | 3840                                                                                                                                                                                                                                                                                                                                                                                 |
| Memory size per board             | 24 GB GDDR5                                                                                                                                                                                                                                                                                                                                                                          |
| Memory bandwidth for board        | 346 GB/s                                                                                                                                                                                                                                                                                                                                                                             |
| Accelerator applications          | Deep learning                                                                                                                                                                                                                                                                                                                                                                        |
| Architecture features             | Deep learning models typically take days to weeks to train, forcing scientists to make compromises between accuracy and time to deployment. The NVIDIA Tesla P40 GPU accelerator, based on the NVIDIA Pascal architecture, is designed to deliver the highest combination of single precision performance together with high memory density, as required for deep learning training. |
| System                            | Compatible with HPE ProLiant DL380 Gen9, and HPE ProLiant XL190r servers                                                                                                                                                                                                                                                                                                             |
| Minimum dimensions ( H x W x D)   | 3.48 x 26.67 x 11.1 cm                                                                                                                                                                                                                                                                                                                                                               |
| Weight                            | 1.07 kg                                                                                                                                                                                                                                                                                                                                                                              |
| Warranty                          | For details on HPE Qualified Options Limited Warranty visit: 1-year parts, 1-year labor, and 1-year on-site support coverage. For more warranty information refer to <a href="http://h20564.www2.hpe.com/hpsc/wc/public/home">http://h20564.www2.hpe.com/hpsc/wc/public/home</a>                                                                                                     |

---

**For additional technical information,  
available models and options, please  
reference the QuickSpecs**

## HPE Pointnext

**HPE Pointnext** leverages our breadth and depth of technical expertise and innovation to help to accelerate digital transformation. A comprehensive portfolio that includes – Advisory, Professional, and Operational Services is designed to help you evolve and grow today and into the future.


### Operational Services

- **HPE Flexible Capacity** is a new consumption model to manage on-demand capacity, combining the agility and economics of public cloud with the security and performance of on-premises IT.
- **HPE Datacenter Care** offers a tailored operational support solution built on core deliverables. It includes hardware and software support, a team of experts to help personalise deliverables and share best practices, as well as optional building blocks to address specific IT and business needs.
- **HPE Proactive Care** is an integrated set of hardware and software support including an enhanced call experience with start to finish case management helping resolve incidents quickly and keeping IT reliable and stable.
- **HPE Foundation Care** helps when there is a hardware or software problem offering several response levels dependent on IT and business requirements.

**Advisory Services** includes design, strategy, road map, and other services to help enable the digital transformation journey, tuned to IT and business needs. Advisory Services helps customers on their journey to Hybrid IT, Big Data, and the Intelligent Edge.

**Professional Services** helps integrate the new solution with project management, installation and startup, relocation services, and more. We help mitigate risk to the business so there is no interruption when new technology is being integrated in the existing IT environment.

### Chat online



---

**Hewlett Packard  
Enterprise**

© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

NVIDIA is a trademark and/or registered trademark of NVIDIA Corporation in the U.S. and other countries. All other third-party trademark(s) is/are property of their respective owner(s).

Image may differ from the actual product  
PSN1012182976UKEN, December 19, 2019.