



HP LaserJet 4200tn 1200 x 1200 DPI A4

Brand : HP

Product family: LaserJet

Product code: Q2427A

Product name : LaserJet 4200tn

hp LaserJet 4200tn printer4200tn

HP LaserJet 4200tn 1200 x 1200 DPI A4:

Exceed workgroup expectations with the HP LaserJet 4200 series consistently high performance and print quality. Intelligent, versatile and reliable, these monochrome printers offer a wealth of features designed to make them easy to use and manage. Set a performance standard you can rely on with this intelligent monochrome LaserJet printer series. Superior laser performance.

HP LaserJet 4200tn. Print technology: Laser, Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 35 ppm, Duplex printing



| Printing | | Performance | |
|---|--|-------------------------------------|---------------------------|
| Colour * | ✗ | Internal memory * | 64 MB |
| Print technology * | Laser | Maximum internal memory | 416 MB |
| Duplex printing * | ✓ | Memory slots | 3 |
| Maximum resolution * | 1200 x 1200 DPI | Card reader integrated | ✗ |
| Print speed (black, normal quality, A4/US Letter) * | 35 ppm | Compatible memory cards | Not supported |
| Time to first page (black, normal) | 9 s | Built-in processor | ✓ |
| Features | | Processor model | PMC-Sierra RM7065A |
| Printing colours * | Black | Processor frequency | 300 MHz |
| Page description languages * | PCL 5e, PCL 6, PostScript 3 | Design | |
| Input & output capacity | | Display | ✗ |
| Total number of input trays * | 3 | System requirements | |
| Total input capacity * | 1100 sheets | Windows operating systems supported | ✓ |
| Total output capacity * | 250 sheets | Mac operating systems supported | ✓ |
| Paper input type | Paper tray | Weight & dimensions | |
| Multi-Purpose tray | ✓ | Width | 416.5 mm |
| Multi-Purpose tray input capacity | 100 sheets | Depth | 429.3 mm |
| Maximum input capacity | 2600 sheets | Height | 487.6 mm |
| Maximum output capacity | 800 sheets | Weight | 27.2 kg |
| Paper handling | | Dimensions (WxDxH) | 416.5 x 429.26 x 487.6 mm |
| Maximum ISO A-series paper size * | A4 | Packaging content | |
| Maximum print size | 216 x 356 mm | Drivers included | ✓ |
| Paper tray media types * | Bond paper, Card stock, Envelopes, Labels, Plain paper, Recycled paper, Transparencies | Manual | ✓ |
| ISO A-series sizes (A0...A9) * | A4, A5 | Cables included | AC |

| Ports & interfaces | | Other features | |
|------------------------|---------------|-----------------------------------|--|
| Standard interfaces | Parallel | Standard media sizes | A4, A5, B5 ISO, B5 JIS, executive (JIS), Japanese double postcard, DL ISO envelopes, B5 ISO envelopes, C5 ISO envelopes. |
| USB 2.0 ports quantity | 1 | | |
| Optional connectivity | Ethernet | | |
| Network | | Typefaces | 80 |
| Wi-Fi * | ✘ | Envelope feeder | 75 |
| Ethernet LAN * | ✘ | PictBridge | ✘ |
| Wi-Fi standards | Not supported | Dimensions (W x D x H) (imperial) | 416.6 x 429.3 x 487.7 mm (16.4 x 16.9 x 19.2") |
| | | Weight (imperial) | 27.2 kg (60 lbs) |



0808736314077



808736314077




0808736311670



808736311670




0808736311687



808736311687



0808736314060



808736314060



0808736314084



808736314084



0808736314091



808736314091



0808736314107



808736314107




0808736314114



808736314114



0808736314121



808736314121



0808736314138



808736314138



0808736314145



808736314145



0808736314152



808736314152



0808736314169



808736314169




0808736311694



808736311694




0808736311700



808736311700



0808736311717



808736311717



0808736311724



808736311724



0808736311731



808736311731



0808736311748



808736311748




0808736311755



808736311755




0808736311762



808736311762



0808736311779



808736311779



0808736311786



808736311786



0808736311793



808736311793



0808736311809



808736311809




0808736311816



808736311816




0808736311823



808736311823



0808736311830



808736311830



0808736311847



808736311847



0808736311854



808736311854




0808736311861



808736311861




0808736311878



808736311878




0808736311885



808736311885



0808736311892



808736311892



0808736311908



808736311908

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.