



HP LaserJet CP6015n Colour 600 x 1200 DPI A3

Brand : HP

Product family: LaserJet

Product code: Q3931A

Product name : LaserJet
CP6015n

HP Color LaserJet CP6015n Printer

HP LaserJet CP6015n. Print technology: Laser, Colour. Maximum duty cycle: 175000 pages per month. Maximum resolution: 600 x 1200 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 41 ppm, Duplex printing. Display: LCD. Network ready



Printing		Design	
Print speed (colour, normal quality, A4/US Letter)	41 ppm	Display	LCD
Colour *	✓	Power	
Print technology *	Laser	Power consumption (printing) *	1195 W
Duplex printing *	✓	Power consumption (standby)	207 W
Maximum resolution *	600 x 1200 DPI	Power consumption (PowerSave)	18.9 W
Print speed (black, normal quality, A4/US Letter) *	41 ppm	Power consumption (off)	0.1 W
Time to first page (black, normal)	11 s	AC input voltage	220 - 240 V
Time to first page (colour, normal)	11.5 s	AC input frequency	50 - 60 Hz
Economical printing	✓	System requirements	
Features		Windows operating systems supported	Windows 2000, Windows XP Home, Windows XP Professional
Maximum duty cycle *	175000 pages per month	Mac operating systems supported	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard
Recommended duty cycle	17000	Server operating systems supported	Windows Server 2003, Windows Server 2008
Printing colours *	Black, Cyan, Magenta, Yellow	Minimum system requirements for Macintosh	PowerPC, Intel Core
Page description languages *	PCL 5c, PCL 6, PDF 1.3, PostScript 3	Operational conditions	
Number of printer fonts	93	Operating temperature (T-T)	10 - 30 °C
Input & output capacity		Storage temperature (T-T)	0 - 35 °C
Total number of input trays *	2	Operating relative humidity (H-H)	10 - 80%
Total input capacity *	500 sheets	Storage relative humidity (H-H)	5 - 95%
Total output capacity *	500 sheets	Weight & dimensions	
Multi-Purpose tray	✓	Weight	86.2 kg
Multi-Purpose tray input capacity	100 sheets	Dimensions (WxDxH)	704 x 635 x 580 mm
Maximum input capacity	2100 sheets	Packaging data	
Paper handling		Package weight	103.2 kg
Maximum ISO A-series paper size *	A3		
Maximum print size	297 x 420 mm		
Paper tray media types *	Card stock, Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Transparencies		
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6		

Paper handling		Other features	
ISO B-series sizes (B0...B9)	B5, B6	Recommended humidity operating range	30 - 70%
ISO C-series sizes (C0...C9)	C5	Recommended operating temperature range (T-T)	17 - 25 °C
JIS B-series sizes (B0...B9)	B4, B5	Mac compatibility	✓
Envelopes sizes	C5, DL	Print margin bottom (A4)	2 mm
Custom media width	99 - 320 mm	Print margin left (A4)	2 mm
Custom media length	140 - 457 mm	Print margin right (A4)	2 mm
Multi-Purpose Tray media weight	60 - 220 g/m ²	Print margin top (A4)	2 mm
Ports & interfaces		Standard output capacity for envelopes	10 sheets
Standard interfaces	Ethernet, USB 2.0	Acoustic power emissions	6.9B(A)
USB 2.0 ports quantity	2	Acoustic pressure emissions	54 dB
Network		Compliance industry standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
Network ready	✓	Compatibility	Windows 2000 Windows XP Home Windows XP Professional Windows Server 2003 (32/64 bit) Windows Server 2008 Windows Vista Mac OS X v10.2+
Wi-Fi *	✗	Electromagnetic compatibility	CISPR 22, EN, FCC, EMC/EEC, CE
Ethernet LAN *	✓	Networking features	Gigabit Ethernet
Performance		Safety	TÜV S, AS/NZ 3260, cUL-CAN/CSA, GB4943, CSN-IEC, EEI-EN60950-IEC, EU, TÜV-EN60950-IEC, MEEI-IEC 60950-IEC 60825-1, LS-IEC 60950-IEC 60825-1, NOM, IEC, GOST, UL-UL
Internal memory *	512 MB	Fonts included	✓
Maximum internal memory	512 MB	Power LED	✓
Processor model	PMC	Stand-by LED	✓
Processor frequency	835 MHz	Package dimensions (WxDxH)	900 x 800 x 860 mm



0883585362844




883585362844




0884962829943



884962829943




0883585362875



883585362875




5711045282850



0886112818203



886112818203




0883585362929




883585362929




0883585362905



883585362905



0883585362738




883585362738



0883585362851



883585362851



0883585362936




883585362936



0883585362813



883585362813




0883585362721




883585362721



0883585362806



883585362806



0883585384747




883585384747



0883585718467



883585718467



0883585362882




883585362882



0883585362899



883585362899



0883585362868




883585362868



0883585577170



883585577170



0883585362745




883585362745



0883585362752



883585362752



0883585362943



883585362943



0883585362783



883585362783




0883585362776




883585362776




0883585362837



883585362837



0883585362769




883585362769



0883585362790



883585362790



0883585362912



883585362912



0883585362820



883585362820

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.