



## HP LaserJet 4350tn Printer 1200 x 1200 DPI

**Brand :** HP

**Product family:** LaserJet

**Product code:** Q5408A

**Product name :** LaserJet  
4350tn Printer



Achieve maximum productivity with HP's powerful print solution - up to 52 ppm. This easy-to-use, high-performance printer includes standard networking and extra input tray, plus expandable options perfectly suited for large work group needs.

### HP LaserJet 4350tn Printer 1200 x 1200 DPI:

Boost a large workgroup's productivity with the HP LaserJet 4350 Printer series. Enjoy breakthrough print speeds of up to 52 ppm, a first page out in under 8 seconds plus advanced performance features like a 460 MHz processor, expandable memory, industry-leading internal networking\* and HP Smart Printing Technology\*\* in HP printing supplies. Easy to use and manage with an Embedded Web Server and Web Jetadmin and a choice of paper handling and finishing options to meet document creation needs.

ABU - United Kingdom - UK English localization

HP LaserJet 4350tn Printer. Number of print cartridges: 1, Maximum duty cycle: 250000 pages per month. Maximum resolution: 1200 x 1200 DPI, Print speed (black, normal quality, A4/US Letter): 52 ppm. Network ready

Printing		Other features	
Print speed (black, draft quality, A4/US Letter)	52, 55	Print margin right (A4)	5 mm
Colour *	✗	Print margin top (A4)	5 mm
Maximum resolution *	1200 x 1200 DPI	Typefaces	80
Print speed (black, normal quality, A4/US Letter) *	52 ppm	Media weights by paper path	60 - 200 g/m <sup>2</sup> ; 60 - 120 g/m <sup>2</sup>
Warm-up time	60 s	Minimum system requirements	Microsoft Windows 2000: 133 MHz processor, 64 MB RAM, CD-ROM drive; Windows XP: 233 MHz processor, 64 MB RAM, CD-ROM drive; Windows Server 2003: 550 MHz processor, 128 MB RAM (standard edition), 220 MB of free hard disk space for Windows, 1 GHz proces
Time to first page (black, normal)	8 s	Envelope feeder	Yes, 75
Features		Printer management	HP Web Jetadmin, HP LaserJet Utility, HP Embedded Web Server, HP LaserJet Toolbox
Maximum duty cycle *	250000 pages per month	Acoustic power emissions	7.1 B(A)
Number of print cartridges *	1	Acoustic pressure emissions	64 dB
Page description languages *	PDF 1.3	Power requirements	220 - 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 100 - 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
Input & output capacity		Duplex print options	Automatic (optional)
Total input capacity *	1100 sheets	Print speed (black, best quality, A4)	52 ppm
Total output capacity *	300 sheets	Paper handling	Base/n:100-sheet multipurpose tray, 1 x 500-sheet input tray, straight-through paper path, optional: 500-sheet or 1500-sheet tray (up to a maximum of 3,100 sheets), duplexer, 500-sheet stacker, stapler/stacker (up to 15 pages stapler/up to 500-sheet stack
Maximum input capacity	3100 sheets	Electromagnetic compatibility	CISPR 22: 1997/EN 55022: 1998 Class B, EN 61000-3-2: 2000, EN 61000-3-3: 1995, EN 55024: 1998, FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 4/GB9254-1998, GB17625.1-2003, EMC Directive 89/336/EEC and the Low Voltage Directive 73/23/EEC, and carries t
Maximum output capacity	800 sheets	Standard input trays	3
Paper handling		Networking features	Ethernet, Fast Ethernet, Gigabit Ethernet
Maximum print size	201.5 x 288.5 mm		
Duplex media weight	60 - 120 g/m <sup>2</sup>		
Media types supported	Paper (plain, preprinted, letterhead, prepunched, bond, recycled, color, card stock, rough, cut-sheet, recycled), envelopes, transparencies, labels		
Media size (tray 1)	A4, A5, B5 (JIS), Executive (JIS), 16k (195 x 270mm), envelopes (C5, DL, B5), 76 x 216 - 127 x 356 mm		
Media weight (tray 1)	60 - 200 g/m <sup>2</sup>		
Network			
Network ready	✓		



Other features		Other features	
Print margin left (A4)	5 mm	Compatible operating systems	OS/2, UNIX, Linux, HP OpenVMS Microsoft Windows 98, Me, NT 4.0 (parallel and network connections only), 2000, XP, Server 2003; Apple Mac OS 9.x and later, OS X 10.1 +
		Package dimensions (W x D x H)	720.1 x 600.2 x 557 mm (28.4 x 23.6 x 21.9")
		Pallet dimensions (W x D x H) (imperial)	1201.4 x 800.1 x 1821.2 mm (47.3 x 31.5 x 71.7")
		Pallet weight (imperial)	228.6 kg (504 lbs)
		Product dimensions when open (LxWxD)	41.1 cm (16.2")
		Weight (imperial)	60 lb
		Acoustic pressure emissions bystander (active, print, copy or scan)	57 dB(A)
		Duplex binding	✘
		First page out (black&white, A4, ready)	8 s
		First page out (black&white, letter, ready)	8 s
		Media sizes supported (imperial)	Letter, legal, executive, statement, envelopes (No. 10, Monarch)
		Operating altitude (imperial)	10000 ft
		Package weight (imperial)	35.5 kg (78.2 lbs)
		Print speed (black, best quality, letter)	Up to 55 ppm
		Size (imperial)	41.9 cm (16.5")
		Standard input capacity for envelopes	10 sheets
		Recommended media weight (duplex, imperial)	16 to 32 lb
		UNSPSC-code	43212105
		Package dimensions (WxDxH)	720 x 600 x 557 mm



0829160416434




829160416434




4056572512744



0829160416304




829160416304



0829160416236




829160416236



0829160416243




829160416243



0829160416250



829160416250




0829160416267




829160416267




0829160416311




829160416311



0829160416328




829160416328



0829160416335




829160416335



0829160416342




829160416342




0829160416359



829160416359




0829160416366



829160416366




0829160416373




829160416373



0829160416380




829160416380



0829160416397




829160416397



0829160416403




829160416403



0829160416410



829160416410




0829160416427



829160416427




0829160416441




829160416441



0882780287921




882780287921



0829160416458



829160416458



0829160416465




829160416465




0829160416472



829160416472




0829160416489




829160416489




0829160416496




829160416496



0829160416502




829160416502



0829160416199




829160416199



0829160416205




829160416205




0829160416212



829160416212



0829160416229



829160416229



0829160416274



829160416274



0829160416281



829160416281



0829160416298



829160416298

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.