



HP LaserJet 3600dn Colour 600 x 600 DPI A4

Brand : HP

Product family: LaserJet

Product code: Q5988A

Product name : 3600dn

LaserJet 3600dn, 360MHz, 128MB, 17ppm, A4, 600x600DPI, USB 2.0, 28kg, white
HP LaserJet 3600dn. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 50000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 17 ppm, Duplex printing. Display: LCD. Network ready



Printing		Performance	
Print speed (colour, normal quality, A4/US Letter)	17 ppm	Internal memory *	128 MB
Colour *	✓	Processor model	FRV555 VLIW
Print technology *	Laser	Processor frequency	360 MHz
Duplex printing *	✓	Design	
Maximum resolution *	600 x 600 DPI	Display	LCD
Print speed (black, normal quality, A4/US Letter) *	17 ppm	Certification	FCC, ICES UL/cUL
Time to first page (black, normal)	14 s	Power	
Features		Power consumption (printing) *	335 W
Maximum duty cycle *	50000 pages per month	Power consumption (standby)	15 W
Recommended duty cycle	1000 - 3000 pages per month	Power consumption (PowerSave)	48 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (off)	0.5 W
Number of print cartridges *	4	AC input voltage	100 - 240 V
Input & output capacity		AC input frequency	50 - 60 Hz
Total number of input trays *	2	System requirements	
Total input capacity *	350 sheets	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 98, Windows 98SE, Windows ME, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional
Total output capacity *	250 sheets	Mac operating systems supported	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger
Maximum number of input trays	3	Linux operating systems supported	✓
Maximum input capacity	850 sheets	Server operating systems supported	Windows Server 2003
Paper handling		Minimum processor	133 MHz
Maximum ISO A-series paper size *	A4	Minimum RAM	64 MB
Maximum print size	216 x 356 mm	Operational conditions	
Paper tray media types *	Card stock, Envelopes, Glossy paper, Labels, Plain paper, Transparencies	Operating temperature (T-T)	10 - 27 °C
ISO A-series sizes (A0...A9) *	A4, A5	Storage temperature (T-T)	0 - 35 °C
Non-ISO print media sizes	Executive	Operating relative humidity (H-H)	10 - 70%
JIS B-series sizes (B0...B9)	B5	Storage relative humidity (H-H)	10 - 90%
Envelopes sizes	B5, C5, DL	Operating altitude	0 - 2600 m
Custom media width	76 - 216 mm	Operating temperature (T-T)	50 - 81 °F
Custom media length	127 - 356 mm		
Paper tray media weight	60 - 220 g/m ²		
Ports & interfaces			
Standard interfaces	USB 2.0		
USB 2.0 ports quantity	1		
Optional connectivity	Bluetooth, Wireless LAN		

Network		Sustainability	
Network ready	✓	Sustainability certificates	ENERGY STAR
Wi-Fi *	✗	Weight & dimensions	
Ethernet LAN *	✓	Weight	28 kg
Supported network protocols (IPv4)	TCP, UDP	Dimensions (WxDxH)	413 x 510 x 430 mm
Management protocols	BOOTP, SLP, WINS, RARP, TFTP, LDP, SNMP, DNS, CUPS	Packaging content	
		Drivers included	✓
		Other features	
		Mac compatibility	✓
		Networking features	Fast Ethernet



0829160888897



829160888897



0882780176874




882780176874



0829160888903



829160888903



8291608882002



0829160888200




829160888200



0882780302969



882780302969



0829160994772



829160994772



0829160888279



829160888279



5055266213584



0829160888194



829160888194



0829160888217



829160888217



0829160888224



829160888224



0882780167148



882780167148



0829160888231




829160888231



0829160888248



829160888248



0829160888255



829160888255



0829160888262



829160888262



0882780167247



882780167247



0829160888828



829160888828



0829160888835



829160888835



0829160888842



829160888842



0829160888859




829160888859



0829160888866



829160888866



0829160888873



829160888873



0829160888880



829160888880



0829160888910



829160888910



0882780176843



882780176843



0882780176867



882780176867



0882780176850



882780176850



0882780056770



882780056770



0882780302976



882780302976

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites. Links to other Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.