



HP LaserJet Color 4700n Printer Colour 600 x 600 DPI A4

Brand : HP

Product family: LaserJet

Product code: Q7492A

Product name : Color LaserJet 4700n Printer

Color LaserJet 4700n 30 ppm, 600 x 600 dpi, HP ImageREt 3600

HP LaserJet Color 4700n Printer Colour 600 x 600 DPI A4:

HP's top-of-the-line Color LaserJet delivers solid performance with the best print quality and brilliant colour at speed, plus a broad range of paper support. Workgroups achieve more, with print speeds up to 30 ppm, full speed two-sided printing[p1] and up to 2,600-sheet input capacity[p2]. Create impressive business and marketing materials using Imageret technology which ensures professional quality output, high-impact colour, crisp detail, realistic images and excellent photo quality.

HP LaserJet Color 4700n Printer. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 100000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 30 ppm. Network ready. Product colour: Grey, White



Printing		Other features	
Print speed (colour, normal quality, A4/US Letter)	30, 31		Multipurpose tray: 76 x 127 to 216 x 356 mm; 500-sheet input trays: 148 x 210 to 216 x 356 mm
Colour *	✓	Custom media sizes	Multipurpose tray: 3 x 5 to 8.5 x 14 in; 500-sheet input trays: 5.8 x 8.3 to 8.5 x 14 in
Print technology *	Laser	Standard media sizes	16K, Dpostcard (JIS)
Duplex printing *	✗	Memory upgrade	0.544 GB
Maximum resolution *	600 x 600 DPI	Print margin bottom (A4)	5 mm
Print speed (black, normal quality, A4/US Letter) *	30 ppm	Print margin left (A4)	5 mm
Warm-up time	126 s	Print margin right (A4)	5 mm
Time to first page (black, normal)	10 s	Print margin top (A4)	5 mm
Time to first page (colour, normal)	10 s		
Features		Typefaces	93 internal TrueType fonts scalable in HP PCL and HP postscript level 3 emulation; additional font solutions available via Flash memory
Maximum duty cycle *	100000 pages per month	Recommended media weight	Tray 1: 60 - 220; Tray 2, 3, 4, 5, 6: 60 - 120
Number of print cartridges *	4		
Page description languages *	PCL 5c, PCL 6		
Input & output capacity			
Total input capacity *	600 sheets		
Total output capacity *	500 sheets		
Maximum input capacity	2600 sheets		
Maximum output capacity	750 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Transparencies		

Paper handling		Other features	
ISO A-series sizes (A0...A9) *	A4, A5		Microsoft Windows 7 ready. For more information go to http://go/windows7 . Some features may not be available. Windows Vista: 1 GHz processor, 512 MB RAM (check User's Guide for minimum hard drive space); Windows XP: 233 MHz processor, 64 MB RAM; Windows Server 2003 (standard edition): 550 MHz processor, 128 MB RAM; Windows 2000: 133 MHz processor, 64 MB RAM; 220 MB of available hard disk space (for all systems), CD-ROM drive or Internet connection, IEEE 1284-compliant bidirectional parallel port, USB 1.1 or USB 2.0 port
Non-ISO print media sizes	Executive		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	B5, C5, DL		
Duplex media weight	60 - 120 g/m ²		
Media types supported	Multipurpose tray: paper (plain, glossy, colored, preprinted, letterhead, recycled, HP tough and high-gloss laser), envelopes, transparencies, labels, cardstock; 500-sheet input trays: paper (plain, glossy, colored, preprinted, letterhead, recycled, HP tough and high-gloss laser), transparencies, labels	Minimum system requirements	
Media size (tray 1)	A4, A5, B5 (JIS), executive (JIS), 16K, Dpostcard (JIS), envelopes (DL, C5, B5), 76 x 127 to 216 x 356 mm	Envelope feeder	✗
Media weight (tray 1)	60 - 220 g/m ²	Printer management	HP Embedded Web Server, HP Web Jetadmin, HP Easy Printer Care Software, HP LaserJet Utility
Ports & interfaces		Acoustic power emissions	6.7 B(A)
Standard interfaces	Parallel, USB 2.0	Acoustic pressure emissions	50 dB
Network		Power requirements	100 - 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 - 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)
Network ready	✓	Print quality (colour, best quality)	600 DPI
Wi-Fi *	✗	Duplex print options	Automatic (optional)
Supported network protocols (IPv4)	TCP/IP (IP Direct Mode; may require software from the NOS vendor or third-party vendor: LPD, FTP, IPP), IPX/SPX, DLC/LLC, AppleTalk, Auto-IP, Apple Rendezvous-compatible, NDS, Bindery, NCP, Telnet, SLP, IGMP, BOOTP/DHCP, WINS, SNMP v 1, 2c and 3, HTTP (with standard HP Jetdirect Embedded Fast Ethernet Print Server)	Print speed (colour, best quality, A4)	30 ppm
		Print speed (black, best quality, A4)	30 ppm
		Colour printing technology	HP ImageREt 3600
		Paper handling	100-sheet multipurpose tray 1, 500-sheet tray 2, up to four optional 500-sheet paper trays, optional stand, 500 sheet face-down output bin, optional 750-sheet stapler/stacker
Performance		Electromagnetic compatibility	EMC: CISPR 22: 1993/A1, A2; EN 55022: 1994/A1, A2 Class B; EN 61000-3-2: 2000; EN 61000-3-3: 1995/A1; EN 55024: 1998/A1, A2; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 4/GB9254-1998, GB17625.1-1998; EMC Directive 89/336/EEC, the Low Voltage Directive 73/23/EEC and carries the CE-Marking accordingly
Internal memory *	160 MB	Standard input trays	2
Maximum internal memory	512 MB	Networking features	HP Jetdirect Fast Ethernet embedded print server Fast Ethernet (standard); Gigabit, 802.11g wireless, Bluetooth wireless (optional)
Built-in processor	✓	Print quality (black, best quality)	600 x 600 DPI
Processor model	MIPS RISC	Wireless option type	Optional, enabled with purchase of a hardware accessory
Processor frequency	533 MHz	Standard output capacity for transparencies	100 sheets
Design		Driver updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: http://support/cj4700 .
Product colour *	Grey, White	Duplex supported media size	A4, B5, B5 (JIS)
Built-in display *	✓	Media handling	Sheetfed
Power		Memory technology	Memory Enhancement technology (MEt)
Power consumption (printing) *	567 W	Control panel	7 front-panel buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow), 4-line control panel display, 3 LED status lights (Attention, Data, Ready), enhanced help with animated graphics
Power consumption (PowerSave)	17 W	Maximum paper trays	6
Power consumption (off)	0.3 W		
System requirements			
Minimum system requirements for Macintosh	Mac OS X v 10.2.8, 10.3, 10.4, 10.5, 10.6; 160 MB available hard disk space; CD-ROM drive; USB port		
Operational conditions			
Operating temperature (T-T)	10 - 30 °C		
Storage temperature (T-T)	0 - 35 °C		
Operating relative humidity (H-H)	10 - 80%		
Storage relative humidity (H-H)	10 - 85%		
Operating temperature (T-T)	62.6 - 77 °F		
Weight & dimensions			
Maximum dimensions (W x D x H)	521 x 950 x 582 mm		
Width	520.7 mm		
Depth	950 mm		
Height	581.7 mm		


Weight & dimensions		Other features	
Pallet dimensions (W x D x H)	813 x 661 x 853 mm	Media size (tray 2)	A4, A5, B5 (JIS), executive (JIS), 16K, 148 x 210 to 216 x 356 mm
Weight	47.9 kg	Media type and capacity (tray 2)	500
Dimensions (WxDxH)	521 x 598 x 582 mm	Media weight (tray 2)	60 - 120 g/m2
Packaging data		Media weight (tray 3)	60 - 120 g/m2
Package weight	66.5 kg	Paper handling optional/input	Up to four optional 500-sheet paper trays, optional duplexer, optional stand
Packaging content		Paper handling standard/input	100-sheet multipurpose tray, 500-sheet tray
Bundled software	Print drivers and installation software on CD-ROM: HP PCL 5c, HP PCL 6, HP postscript level 3 emulation, HP LaserJet utility, Macintosh software, PostScript Printer Description files	Paper handling standard/output	500-sheet face-down output bin
Logistics data		Safety	
Pallet gross weight	66.5 kg	Management security: SNMP v3, SSL/TLS (HTTPS); optional network security: IPsec, 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access), WEP encryption (40/64-bit and 128-bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TTLS, EAP-TLS, EAP-MD5) with RADIUS servers	
Master (outer) cases per pallet	5 pc(s)		
Layers per pallet	8 pc(s)		
Products per pallet	1 pc(s)		
Other features		Upgrade type	Color tables, formatter firmware, software drivers
Print quality (black, normal quality)	600 DPI	Downloadable software	Download HP Universal Print Driver Series for Windows 1.0 from http://go/mpd4w or http://go/universal_driver
Recommended operating temperature range (T-T)	17 - 25 °C	Compatible operating systems	Microsoft Windows 2000, XP Home, XP Professional, XP Professional x64; Certified for Windows Vista; Windows Server 2003; Mac OS 9.x; Mac OS X v 10.1
Mac compatibility	✓	Package dimensions (W x D x H)	813.1 x 660.9 x 852.9 mm (32 x 26 x 33.6")
I/O ports	1x USB, 1x parallel, 2x EIO	Pallet dimensions (W x D x H) (imperial)	812.8 x 660.4 x 853.4 mm (32 x 26 x 33.6")
Input capacity for envelopes (primary tray)	20 sheets	Pallet weight (imperial)	66.5 kg (146.5 lbs)
		Weight (imperial)	105.1 lb
		Acoustic pressure emissions bystander (active, print, copy or scan)	50 dB(A)
		Duplex binding	✓
		First page out (black&white, A4, ready)	10 s
		First page out (black&white, letter, ready)	10 s
		First page out (black&white, letter, sleep)	16.5 s
		Media sizes supported (imperial)	Letter, legal, statement, executive, envelopes (No. 10, Monarch)
		Operating altitude (imperial)	7500 ft
		Package weight (imperial)	66.5 kg (146.5 lbs)

Other features

Print speed (black, best quality, letter)	< 31
Print speed (colour, best quality, letter)	< 31
Size (imperial)	52.1 cm (20.5")
Acoustic power emissions (ready)	77 dB
Acoustic pressure emissions bystander (ready)	31 dB
SureSupply connection type	Direct and Network
SureSupply supported	✓
Recommended media weight (duplex, imperial)	16 to 32 lb
Package dimensions (WxDxH)	813 x 661 x 853 mm



0829160845876




829160845876



5711045384257



0829160845630



829160845630



0829160845869



829160845869



0829160962887



829160962887



8291609628876



0829160845845



829160845845



0829160845777



829160845777



0829160845654



829160845654



0884420110996



884420110996



0829160845692



829160845692



0882780211001



882780211001



0882780591646



882780591646



0829160845784



829160845784



0829160845807



829160845807



0829160845791



829160845791



0829160845838



829160845838



0829160845821



829160845821



0829160845814



829160845814



0829160845647



829160845647



0829160845685




829160845685



0829160845661



829160845661



0829160845890



829160845890



0829160845760



829160845760



0884420111009



884420111009



0829160845883



829160845883



0829160845753



829160845753



0829160845722



829160845722



0829160845906



829160845906



0829160845852



829160845852



0829160845715



829160845715



0829160845678



829160845678



0829160845708



829160845708

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.