



HP LaserJet M5035 Laser A3 1200 x 1200 DPI 35 ppm

Brand : HP

Product family: LaserJet

Product code: Q7829A

Product name : M5035

LaserJet M5035 MFP, 1200 x 1200 dpi, 35 ppm, 460 MHz, 40GB, Digital sending, LCD Touch Screen, 2x USB

HP LaserJet M5035. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A3. Product colour: Grey, White



Printing		Performance	
Print technology *	Laser	Sound pressure level (printing)	51 dB
Printing *	Mono printing	Sound pressure level (copying)	56 dB
Duplex printing *	✗	Mac compatibility	✓
Maximum resolution *	1200 x 1200 DPI	Design	
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Product colour *	Grey, White
Print speed (black, draft quality, A4/US Letter)	35 ppm	Market positioning *	Business
Print speed (black, normal quality, A3)	18 ppm	Built-in display *	✓
Warm-up time	158 s	Display	LCD
Time to first page (black, normal)	10 s	Touchscreen	✓
Print speed (black, best quality, A4)	35 ppm	Control type	Touch
Copying		Power	
Duplex copying *	✗	Power consumption (average operating)	1265, 640
Copying *	Mono copying	Power consumption (PowerSave)	24 W
Maximum copy resolution *	600 x 600 DPI	Power consumption (standby)	28 W
Copy speed (black, normal quality, A4)	35 cpm	Power consumption (off)	0.1 W
Maximum number of copies	1000 copies	AC input voltage	220 - 240 V
Copier resize	25 - 400%	AC input frequency	50 - 60 Hz
Maximum copy speed (black, A4)	35 cpm		
Scanning			
Duplex scanning *	✗		
Scanning *	✗		
Optical scanning resolution *	600 x 600 DPI		

Scanning		System requirements	
Maximum scan area	297 x 432 mm	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Scanner type *	Flatbed & ADF scanner		
Input colour depth	30 bit		
Greyscale levels	256		
Film scanning	✘	Mac operating systems supported	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Fax			
Duplex faxing	✘		
Faxing *	✘		
Features		Operational conditions	
Recommended duty cycle	3000	Operating relative humidity (H-H)	20 - 80%
Maximum duty cycle *	200000 pages per month	Recommended operating temperature range (T-T)	15 - 35 °C
Digital sender	✓	Storage temperature (T-T)	13 - 38 °C
Number of print cartridges *	1	Operating temperature (T-T)	15 - 35 °C
Printing colours *	Black	Storage relative humidity (H-H)	20 - 80%
Page description languages	PCL 5, PCL 6, PDF 1.4, PostScript 3	Operating temperature (T-T)	50 - 99 °F
All-In-One-multitasking	✓	Sustainability	
Optional functions	Fax	Sustainability certificates	ENERGY STAR
Input & output capacity		Weight & dimensions	
Total number of input trays *	2	Width	610 mm
Total input capacity *	200 sheets	Depth	571 mm
Total output capacity *	250 sheets	Height	584 mm
Multi-Purpose tray	✓	Weight	55 kg
Multi-Purpose tray input capacity	150 sheets	Packaging data	
Standard output capacity for envelopes	25 sheets	Package width	766 mm
Maximum input capacity	500 sheets	Package depth	721 mm
Maximum output capacity	250 sheets	Package height	852 mm
Paper handling		Package weight	61.1 kg
Maximum ISO A-series paper size *	A3	Logistics data	
Maximum print size	297 x 420 mm	Pallet gross weight	61.1 kg
Paper tray media types *	Banner, Card stock, Envelopes, Labels, Photo paper, Plain paper, Recycled paper, Transparencies	Products per pallet	1 pc(s)
ISO A-series sizes (A0...A9) *	A3, A4, A5	Other features	
ISO B-series sizes (B0...B9)	B4, B5	Dimensions (WxDxH)	610 x 571 x 584 mm
Paper tray media weight	60 - 199 g/m ²	Acoustic pressure emissions	51 dB
Multi-Purpose Tray media weight	60 - 120 g/m ²	Network ready	✓
Ports & interfaces		Pallet dimensions (W x D x H)	766 x 721 x 852 mm
Standard interfaces	Ethernet, USB 2.0	Print quality (black, draft quality)	600 DPI
Direct printing *	✘	Print quality (black, best quality)	1200 x 1200 DPI
USB port	✓	Print quality (black, normal quality)	600 DPI
USB 2.0 ports quantity	2	Print margin bottom (A4)	2 mm
Network		Print margin left (A4)	2 mm
Wi-Fi *	✘	Print margin right (A4)	2 mm
Ethernet LAN *	✓	Print margin top (A4)	2 mm
Performance		Standard output capacity for transparencies	200 sheets
Maximum internal memory	512 MB	Scan file formats	PDF, TIFF
Memory slots	1	Maximum scan area (imperial)	27.9 cm (11")
Internal storage capacity	40 GB	Package dimensions (W x D x H)	766.1 x 721.1 x 851.9 mm (30.2 x 28.4 x 33.5")
Card reader integrated	✘	Pallet dimensions (W x D x H) (imperial)	767.1 x 721.4 x 850.9 mm (30.2 x 28.4 x 33.5")
Internal memory *	256 MB	Product dimensions when open (LxWxD)	74.4 cm (29.3")
Processor frequency	460 MHz	Size (imperial)	61 cm (24")

Other features

Duplex binding	✘
Maximum scan area (ADF)	297 x 432 mm
Minimum scan area (ADF)	138 x 210 mm
SureSupply supported	✔
All-in-one functions	Copy, Digital sender, Print
Colour all-in-one functions	✘
Package dimensions (WxDxH)	766 x 721 x 852 mm



0882780574359



882780574359



0882780574458




882780574458



0882780574526



882780574526



0882780574465



882780574465



0882780574397



882780574397




0882780574519



882780574519



0882780574342



882780574342




0882780574441




882780574441



0882780574199



882780574199



0884962830307



884962830307



0882780574403



882780574403



0882780574472



882780574472



0882780574274



882780574274




0882780574281



882780574281



0882780574298



882780574298



0882780574304



882780574304



0882780574311



882780574311




0882780574328



882780574328



0882780574335



882780574335




0884420111245



884420111245



0882780574366



882780574366



0882780574373



882780574373



0882780574380



882780574380



0882780574410



882780574410



0882780574427



882780574427



0882780574434



882780574434



0884420111238



884420111238



0882780574502



882780574502



0882780574533



882780574533



0882780574540



882780574540



0882780574557



882780574557



0882780574564




882780574564



0882780574571



882780574571



0882780574588



882780574588



0882780574489



882780574489



0882780574496



882780574496



0882780574267



882780574267

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.