

## Fujitsu Intel Xeon Gold 5217 processor 3 GHz 11 MB L3

**Brand :** Fujitsu

**Product code:** S26361-F4082-L217

**Product name :** Intel Xeon Gold 5217

Intel Xeon Gold 5217, 11M Cache, 3 GHz, 115 W TDP, FCLGA3647


Fujitsu Intel Xeon Gold 5217. Processor family: Intel® Xeon® Gold, Processor socket: LGA 3647 (Socket P), Processor lithography: 14 nm. Memory channels: Hexa-channel, Maximum internal memory supported by processor: 1 TB, Memory types supported by processor: DDR4-SDRAM. Market segment: Server, Supported instruction sets: AVX-512, Scalability: 4S. Compatibility: PRIMERGY RX4770 M5



Processor		Features	
Processor generation	2nd Generation Intel® Xeon® Scalable	Embedded options available	✗
Processor model *	5217	Intel® Optane™ Memory module included	✓
Processor base frequency *	3 GHz	<b>Processor special features</b>	
Processor family *	Intel® Xeon® Gold	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Processor cores *	8	Intel® Turbo Boost Technology	2.0
Processor socket *	LGA 3647 (Socket P)	Intel® AES New Instructions (Intel® AES-NI)	✓
Component for	Server/workstation	Enhanced Intel SpeedStep Technology	✓
Processor lithography *	14 nm	Intel Trusted Execution Technology	✓
Processor series	Intel Xeon Gold 5000 Series	Intel® Speed Shift Technology	✓
Processor threads	16	Intel VT-x with Extended Page Tables (EPT)	✓
Processor operating modes *	64-bit	Intel TSX-NI	✓
Processor boost frequency	3.7 GHz	Intel 64	✓
Processor cache	11 MB	Intel Virtualization Technology (VT-x)	✓
Processor cache type	L3	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Thermal Design Power (TDP)	115 W	Intel Turbo Boost Max Technology 3.0	✗
Cooler included *	✗	AVX-512 Fused Multiply-Add (FMA) units	1
Stepping	L1	Intel® Volume Management Device (VMD)	✓
Bus type	UPI	Mode-based Execute Control (MBE)	✓
Processor codename	Cascade Lake	Intel® vPro™ Platform Eligibility	✓
<b>Memory</b>		<b>Operational conditions</b>	
Maximum internal memory supported by processor	1 TB	Tcase	79 °C
Memory types supported by processor	DDR4-SDRAM	<b>Technical details</b>	
Memory clock speeds supported by processor	2667 MHz	Intel® Run Sure Technology version	✓
Memory channels *	Hexa-channel	Number of UPI links	2
ECC	✓	<b>Other features</b>	
<b>Graphics</b>		Compatibility	PRIMERGY RX4770 M5
On-board graphics card *	✗	<b>Features</b>	
Discrete graphics card *	✗	Execute Disable Bit	✓
On-board graphics card model *	Not available	Market segment	Server
Discrete graphics card model *	Not available	Maximum number of PCI Express lanes	48
<b>Features</b>		PCI Express slots version	3
Execute Disable Bit	✓	Supported instruction sets	AVX-512
Market segment	Server		
Maximum number of PCI Express lanes	48		
PCI Express slots version	3		
Supported instruction sets	AVX-512		

**Features**

Scalability 45



4059595783597

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.