

Samsung SCX-4828FN multifunction printer Laser A4 1200 x 1200 DPI 28 ppm

Brand : Samsung

Product code: SCX-4828FN

Product name : SCX-4828FN

SCX-4828FN - 1200 x 1200 dpi, 28 ppm, A4, laser, fax, USB 2.0, Ethernet

[Samsung SCX-4828FN multifunction printer Laser A4 1200 x 1200 DPI 28 ppm:](#)

Samsung Electronics released its mono laser, 4-in-1 multi-function printers SCX-4828FN designed to streamline the daily operations of SMBs and SOHOs.

By offering reliable printing, scanning, copying and faxing, the SCX-4828FN eliminate the need to purchase multiple devices, thereby saving businesses money.

Network-ready features ensure that people across a company's network can simultaneously share the MFPs. A USB direct connectivity port on the SCX-4828FN allows users to print and scan documents simply, via a USB memory stick.

Samsung SCX-4828FN. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 1200 x 1200 DPI. Scanning: Mono scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4



Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	Mono printing	Maximum print size	216 x 297 mm
Duplex printing *	✓	Paper tray media types *	Bond paper, Labels, Plain paper, Transparencies
Maximum resolution *	1200 x 1200 DPI	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print speed (black, normal quality, A4/US Letter) *	28 ppm	Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio
Time to first page (black, normal)	8.5 s	Ports & interfaces	
Copying		Standard interfaces	USB 2.0
Copying *	Mono copying	Direct printing *	✗
Maximum copy resolution *	1200 x 1200 DPI	USB port	✓
Copy speed (black, normal quality, A4)	28 cpm	USB 2.0 ports quantity	1
Time to first copy (black, normal)	10 s	Network	
Maximum number of copies	99 copies	Wi-Fi *	✗
Copier resize	25 - 400%	Ethernet LAN *	✓
N-in-1 copy function (N=)	2, 4	Performance	
Scanning		Card reader integrated	✗
Scanning *	Mono scanning	Internal memory *	128 MB
Optical scanning resolution *	1200 x 1200 DPI	Sound pressure level (printing)	50 dB
Scanner type *	Flatbed scanner	Sound pressure level (copying)	53 dB
Scan technology	CIS	Mac compatibility	✓
Fax		Design	
Faxing *	Mono faxing	Market positioning *	Business
Fax resolution (black)	300 x 300 DPI	Built-in display *	✓
Modem speed	33.6 Kbit/s	Display	LCD
Fax memory	3.2 MB		
Auto-redialing	✓		
Fax speed dialing (max numbers)	200		
Features			
Maximum duty cycle *	50000 pages per month		
Digital sender	✗		
Printing colours *	Black		

Input & output capacity		System requirements	
Total input capacity *	250 sheets		Windows 2000 Professional, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Total output capacity *	150 sheets	Windows operating systems supported	
Auto document feeder (ADF)	✓	Mac operating systems supported	Mac OS X 10.3 Panther, Mac OS X 10.5 Leopard
Auto document feeder (ADF) input capacity	50 sheets	Linux operating systems supported	✓
Weight & dimensions			
Weight	14.5 kg		
Other features			
Networking features	Ethernet 10/100-Base-TX		
Dimensions (WxDxH)	445.2 x 410.5 x 395.3 mm		
Maximum internal memory	0.384 GB		
Compatible operating systems	Windows 2000/ Server 2003/ Windows XP Mac OS X 10.3, 10.4.9, 10.5 Linux		
Emulations	PCL5e, PCL6, PostScript 3		
All-in-one functions	Copy, Fax, Print, Scan		
Colour all-in-one functions	No		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.