Seagate Business Storage 2-Bay NAS Desktop Ethernet LAN Black CNS3420

Brand : Seagate

Product code: STBN200

Product name : Business Storage 2-Bay NAS

Business Storage 2-Bay NAS 0TB

Seagate Business Storage 2-Bay NAS Desktop Ethernet LAN Black CNS3420:

Collaborate any time, anywhere.

Create a private cloud with Seagate Business Storage 2-Bay NAS. It helps protect your business-critical data and centralises your files in a single location you can access from anywhere.

- Easy to set up.
- Upload and download files with free apps for iPhone®, iPad® and Android® devices.
- Full-system, automatic back up for PCs, plus Time Machine® support for Mac® computers.
- Customise performance and data redundancy with RAID 0 and 1 configuration options.

Seagate Business Storage 2-Bay NAS. Supported storage drive types: HDD, Storage drive interface: Serial ATA II, Storage drive size: 3.5". Processor family: Cavium, Processor model: CNS3420, Processor frequency: 0.7 GHz. Internal memory: 512 GB, Flash memory: 256 MB. Ethernet LAN data rates: 10,100,1000 Mbit/s. Chassis type: Desktop, Cooling type: Active, Product colour: Black

Storage	
Storage drive interface *	Serial ATA II
Storage drive size	3.5"
Maximum supported storage capacity	8 TB
RAID support *	✓
RAID levels	0, 1, JBOD
Hot-swap drive bays	✗
Storage drives installed *	✗
Number of storage drives supported *	2
Supported storage drive types *	HDD

Processor	
Processor family *	Cavium
Processor model *	CNS3420
Processor frequency *	0.7 GHz

Memory	
Internal memory *	512 GB
Flash memory	256 MB

Network	
Ethernet LAN *	✓
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi	✗

Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Ethernet LAN (RJ-45) ports *	2

Design	
Cooling type *	Active
Product colour	Black
Number of fans	1 fan(s)
Fan diameter	6 cm
Cable lock slot	✓
Cable lock slot type	Kensington

Performance	
Type *	NAS
Device class *	Small & Medium Business
Backup function *	✓
Security algorithms	SSL/TLS

Software	
Windows operating systems supported	✓
Mac operating systems supported	✓

Power	
Power supply location	External
Power consumption (typical)	48 W
AC input voltage	110-240 V
AC input frequency	50 - 60 Hz

Weight & dimensions	
Width *	155 mm
Depth *	275 mm
Height *	310 mm
Weight	3.73 kg

Packaging content	
Cables included	AC, LAN (RJ-45)

Design		Technical details	
Chassis type *	Desktop	Sustainability certificates	RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-JAN-2024. Prints or copies of Information are only valid on the printed Publication date