Seagate Business Storage, 24TB NAS Rack (1U) Ethernet LAN Black

Brand : Seagate

Storage

capacity

Storage drive capacity *

Storage drive interface *

Maximum supported storage

Storage drive size

RAID support *

Hot-swap drive bays

Storage drives installed * Total installed storage capacity *

Installed storage drive type *

Processor frequency *

Internal memory type

Ethernet LAN data rates

Supported network protocols

Ports & interfaces

USB 2.0 ports quantity

VGA (D-Sub) ports quantity

Internal memory *

Ethernet LAN *

iSCSI support Wake-on-LAN ready

Processor cores

Supported storage drive types *

RAID levels

Processor

Memory

Network


Wi-Fi

Product code: STDP24000100

Product name : Business Storage, 24TB

Business Storage, 24TB, Intel Dual-Core 2.3GHz, 4GB ECC DDR3, 8x 3.5" SATAII/SATAIII, Gigabit Ethernet, 2x PS/2, 250W, Seagate NAS OS

Seagate Business Storage, 24TB. Total installed storage capacity: 24 TB, Installed storage drive type: HDD, Supported storage drive types: HDD. Processor frequency: 2.3 GHz. Internal memory: 4 GB, Internal memory type: DDR3. Ethernet LAN data rates: 10,100,1000 Mbit/s, Supported network protocols: CIFS/SMB, NFS v3, AFP, HTTP(s), FTP, sFTP. Chassis type: Rack (1U), Cooling type: Active, Product colour: Black



| Ports & interfaces | | Software |
|-------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------|
| Serial ports quantity Ethernet LAN (RJ-45) ports * | 1 2 | Windows Server 2008, Windows Server operating systems supported Server 2008 R2, Windows Server 2008 x64, Windows Server 2012 |

| Power | |
|-----------------------------------------|------------|
| Power supply location | Built-in |
| Power supply unit (PSU) capacity | 250 W |
| Number of power supply units | 2 |
| Redundant power supply (RPS) support | 1 |
| AC input voltage | 100-240 V |
| AC input frequency | 50 - 60 Hz |
| Weight & dimensions | |
| Width * | 477 mm |
| Depth * | 772 mm |
| Height * | 43.5 mm |
| Weight | 20 kg |
| Package width | 596 mm |
| Package depth | 898 mm |
| Package height | 220 mm |
| Package weight | 23.6 kg |
| Packaging content | |

AC

Cables included

Publication date: 09-JAN-2024. Prints or copies of Information are only valid on the printed Publication date

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.