



# HP Color LaserJet Enterprise MFP M776dn, Print, copy, scan and optional fax, Two-sided printing; Two-sided scanning; Scan to email

**Brand :** HP

**Product family:** Color LaserJet Enterprise **Product code:** T3U55A

**Product name :** HP Color LaserJet Enterprise MFP M776dn, Print, copy, scan and optional fax, Two-sided printing; Two-sided scanning; Scan to email

- Two-sided printing; Two-sided scanning; Scan to email
  - Print, copy, scan and optional fax
  - Print speed up to 45 ppm (black) and 45 ppm (colour)
  - Up to 1200 x 1200 dpi
- Color LaserJet Enterprise MFP M776dn

HP Color LaserJet Enterprise MFP M776dn, Print, copy, scan and optional fax, Two-sided printing; Two-sided scanning; Scan to email:

Expect brilliant colour prints from advanced MFPs, equipped with JetIntelligence technology. Offering the world's most secure printing<sup>[1]</sup> and a wide range of paper handling features, this is printing that helps save time and simplifies workflows.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Paper handling	
Duplex printing mode	Auto	Multi-Purpose Tray media weight	60 - 300 g/m <sup>2</sup>
Print resolution colour	1200 x 1200 DPI	<b>Ports &amp; interfaces</b>	
Print resolution black	1200 x 1200 DPI	Direct printing *	✓
Print technology *	Laser	USB port	✓
Printing *	Colour printing	USB 2.0 ports quantity	3
Duplex printing *	✓	<b>Network</b>	
Maximum resolution *	1200 x 1200 DPI	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	46 ppm	Cabling technology	10/100/1000Base-T(X)
Print speed (colour, normal quality, A4/US Letter)	46 ppm	Ethernet LAN data rates	10,100,1000 Mbit/s
Print speed (black, normal quality, A3)	26 ppm	Security algorithms	PEAP, SNMPv3, EAP-TLS, IPsec, WPA2-Enterprise, FIPS 140, SSL/TLS, FIPS 140-2
Print speed (colour, normal quality, A3)	26 ppm	Mobile printing technologies	Google Cloud Print, Apple AirPrint, HP ePrint, Mopria Print Service
Duplex print speed (black, normal quality, A4/US Letter)	26 ppm	<b>Performance</b>	
Duplex print speed (colour, normal quality, A4/US Letter)	26 ppm	Maximum internal memory	5120 MB
Warm-up time	210 s	Memory slots	1
Time to first page (black, normal)	6.5 s	Internal storage capacity	500 GB
Time to first page (colour, normal)	6.8 s	Card reader integrated	✗
Print margin top (min)	5 mm	Internal memory *	3072 MB
Print margin bottom (min)	5 mm	Built-in processor	✓
Print margin left (min)	5 mm	Processor frequency	1200 MHz
Print margin right (min)	5 mm	Sound pressure level (printing)	52 dB
		Sound pressure level (scanning)	50 dB

<b>Printing</b>		<b>Performance</b>	
N-in-1 print function	✓	Sound power level (printing)	6.7 dB
Watermark printing	✓	<b>Design</b>	
Secure printing	✓	Product colour *	Black, White
<b>Copying</b>		Market positioning *	Business
Duplex copying *	✓	Built-in display *	✓
Copying *	Colour copying	Display	LCD
Maximum copy resolution *	600 x 600 DPI	Display diagonal	22.9 cm (9")
Copy speed (black, normal quality, A4)	46 cpm	Display resolution	1024 x 768 pixels
Copy speed (colour, normal quality, A4)	46 cpm	Touchscreen	✓
Copy speed (black, normal quality, A3)	26 cpm	Control type	Touch
Copy speed (colour, normal quality, A3)	26 cpm	Colour display	✓
Time to first copy (black, normal)	5.6 s	<b>Power</b>	
Time to first copy (colour, normal)	7.7 s	Power consumption (average operating)	900 W
Maximum number of copies	9999 copies	Power consumption (PowerSave)	0.07 W
Copier resize	25 - 400%	Power consumption (printing)	900 W
N-in-1 copy function	✓	Power consumption (ready)	100 W
ID-card copy function	✓	Power consumption (sleep)	0.8 W
Auto fit function	✓	Power consumption (off)	0.07 W
<b>Scanning</b>		Energy Star Typical Electricity Consumption (TEC)	0.734 kWh/week
Duplex scanning *	✓	AC input voltage	110 - 240 V
Scanning *	Colour scanning	AC input frequency	50/60 Hz
Optical scanning resolution *	600 x 600 DPI	<b>Brand-specific features</b>	
Maximum scan resolution	600 x 600 DPI	HP ImageREt print technology	HP ImageREt 4800
Maximum scan area	297 x 432 mm	HP ePrint	✓
Scanner type *	Flatbed & ADF scanner	HP Web Jetadmin	✓
Scan technology	CIS/CCD	HP JetAdvantage Secure Print	✓
Scan to	E-mail, Network folder, USB, TWAIN, Software	HP Auto-On/Auto-Off	✓
Scan speed (colour)	90 ppm	HP Management tools	HP Device Toolbox; HP Printer Assistant; HP SNMP Proxy Agent
Scan speed (black)	90 ppm	HP GTIN (EAN/UPC) with options	(ABT) 193015437906; (ABY) 193015437913; (ACQ) 193015437920; (B13) 193015437937; (B19) 193015437944; (BAZ) 193015437951
Image formats supported	MTIFF, JPEG, TIFF	HP GTIN (EAN/UPC)	193015437906, 193015437913, 193015437920, 193015437937, 193015437944, 193015437951
Document formats supported	XPS, PDF	<b>System requirements</b>	
Input colour depth	48 bit	Windows operating systems supported	Windows 7, Windows Vista, Windows 10, Windows 8, Windows 11
Greyscale levels	256	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.13 High Sierra
Scan drivers	TWAIN	Other operating systems supported	Android
<b>Features</b>		<b>Operational conditions</b>	
Recommended duty cycle	0 - 40000 pages per month	Operating relative humidity (H-H)	10 - 80%
Maximum duty cycle *	200000 pages per month	Recommended humidity operating range	30 - 70%
Duplex functions *	Print, Copy, Scan	Storage temperature (T-T)	-20 - 40 °C
Digital sender	✓	Operating temperature (T-T)	10 - 32.5 °C
Number of print cartridges *	4	Storage relative humidity (H-H)	10 - 80%
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 5, PCL 6, PDF 1.7, PostScript 3		
Printer fonts	PostScript, Scalable, Barcode, TrueType		
All-In-One-multitasking	✓		
Country of origin	Mexico, Japan		
HP segment	Business		
<b>Input &amp; output capacity</b>			
Total number of input trays *	2		
Total input capacity *	650 sheets		
Total output capacity *	500 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	550 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		

Input & output capacity		Certificates	
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	200 sheets		
Auto document feeder (ADF) output capacity	200 sheets	Certification	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
Maximum number of input trays	5		
Maximum input capacity	3900 sheets		
Maximum output capacity	500 sheets		
Paper handling		Sustainability	
Maximum ISO A-series paper size *	A3	Sustainability compliance	✓
Maximum print size	302 x 454.2 mm	Sustainability certificates	EPEAT Silver, ENERGY STAR, Blue Angel
Paper tray media types *	Thick paper, Envelopes, Heavy paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper, Glossy paper	Sustainable technologies and materials	Mercury free
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Doesn't contain	Mercury
ISO B-series sizes (B0...B9)	B5	Weight & dimensions	
ISO C-series sizes (C0...C9)	C5, C6	Width	585 mm
Non-ISO print media sizes	Oficio, 16K	Depth	663 mm
JIS B-series sizes (B0...B9)	B4, B5, B6	Height	710 mm
Envelopes sizes	B5, C5, C6, DL	Weight	70.9 kg
Custom media width	64 - 320 mm	Packaging data	
Custom media length	127 - 457.2 mm	Package width	856 mm
Paper tray media weight	60 - 256 g/m <sup>2</sup>	Package depth	760 mm
		Package height	972 mm
		Package weight	92.1 kg
		Packaging content	
		Cables included	AC
		Logistics data	
		Pallet gross weight	92.12 g
		Layers per pallet	1 pc(s)
		Products per pallet	1 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	1 pc(s)
		Other features	
		Number of users	20 user(s)
		Pallet dimensions (W x D x H)	856 x 760 x 972 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
		Acoustic power emissions (ready)	49 dB
		Acoustic pressure emissions bystander (ready)	32 dB



0193015437999




193015437999



0193015437890



193015437890



0193905406746



193905406746



0193905826797



193905826797



0193015437982



193015437982



0193015437845



193015437845



0193015437852




193015437852




0193015437869




193015437869



0193015437906



193015437906



0193015437913



193015437913



0193015437968



193015437968



0193015437975



193015437975



0193015437876




193015437876



0193015437920



193015437920



0193015437951



193015437951



0193015437883



193015437883



0193015437944



193015437944



0193015437937



193015437937

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that use linking to the Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.