

TP-Link TL-SG105E network switch Managed L2 Gigabit Ethernet (10/100/1000) Black

Brand : TP-Link Product code: TL-SG105E

Product name : TL-SG105E

- 5 10/100/1000Mbps RJ45 ports
- Plug and play, with no configuration required
- Durable metal casing of superior quality and professional appearance
- Intelligent management via a web user interface and downloadable utility
- Green technology reduces power consumption
- 5-Port Gigabit Easy Smart Switch


TP-Link TL-SG105E. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 8192 entries. Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. DC input voltage: 5 V





Management features		Design	
Switch type * Switch layer Quality of Service (QoS) support Web-based management	Managed L2 ✓	Rack mounting * Product colour LED indicators Certification	X Black ✓ FCC, CE, RoHS
Ports & interfaces		Power	
Basic switching RJ-45 Ethernet ports quantity * Basic switching RJ-45 Ethernet ports type * Gigabit Ethernet (copper) ports quantity	3	Power supply included * AC input voltage AC input frequency DC input voltage Input current	✓ 220 V 50 Hz 5 V 0.6 A
Network		Power consumption (max)	2.82 W
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	×
10G support *		Operational conditions	
Copper ethernet cabling technology Port mirroring Flow control support Link aggregation	10BASE-T, 100BASE-TX, 1000BASE-T	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Heat dissipation	0 - 40 °C -40 - 70 °C 10 - 90% 5 - 90% 9.62 BTU/h
Auto MDI/MDI-X	✓	Weight & dimensions	
VLAN support Number of VLANs Data transmission	√ 32	Width Depth Height	100 mm 98 mm 25 mm
Throughput	7.4 Mpps	Packaging data	
MAC address table * Store-and-forward Jumbo frames support Jumbo frames Packet buffer memory	8192 entries 16000 1 MB	Cables included Quick start guide User guide Package type Rack mount kit	AC Box

SecurityLogistics dataIGMP snooping✓Harmonized System (HS) code85176990





















this Information is provided 748 is and without guarantee of correctness or completeness. The logogaphy of property can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party 0.2010 10 38 formation or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.