

## QNAP TS-873U-RP NAS Rack (2U) Ethernet LAN Black RX-421ND

**Brand :** QNAP

**Product code:** TS-873U-RP-16G-US

**Product name :** TS-873U-RP



TS-873U-RP, AMD RX-421ND, 16 GB DDR4, 2 x SFP+, RJ45 x 4, USB 3.0 x 2, USB 2.0 x 4, 2U QNAP TS-873U-RP. Supported storage drive types: HDD & SSD, Storage drive interface: M.2, Serial ATA III, Storage drive size: 2.5/3.5". Processor family: AMD Embedded R-Series SoC, Processor model: RX-421ND, Processor frequency: 2.1 GHz. Internal memory: 16 GB, Internal memory type: DDR4, Maximum RAM supported: 64 GB. Ethernet LAN data rates: 10,100,1000 Mbit/s. Fiber optic connector: SFP+


Storage		Design	
Storage drive interface *	M.2, Serial ATA III	Product colour	Black
Storage drive size	2.5/3.5"	Number of fans	2 fan(s)
RAID support *	✓	Fan diameter	7 cm
RAID levels	0, 1, 5, 6, 10, JBOD	LED indicators	✓
Hot-swap drive bays	✓	Performance	
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Type *	NAS
Storage drives installed *	✗	Device class *	Small & Medium Business
Number of storage drives supported *	10	Backup function *	✓
Installed storage drive type *	✗	Backup features	iSCSI LUN
Supported storage drive types *	HDD & SSD	Multilingual support	✓
Processor		Web-based management	✓
Processor family *	AMD Embedded R-Series SoC	Share folder access right management	✓
Processor model *	RX-421ND	Security algorithms	256-bit AES, SNMPv3
Processor frequency *	2.1 GHz	Access Control List (ACL)	✓
Processor cores	4	Reset button	✓
Memory		Built-in FTP server	✓
Internal memory type	DDR4	Browser supported	Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10, Mozilla Firefox
Maximum RAM supported	64 GB	S.M.A.R.T. support	✓
Internal memory *	16 GB	Share folder	CIFS/SMB
Flash memory	512 MB	Universal Plug and Play (UPnP)	✓
Network		Software	
Ethernet LAN *	✓	Operating system installed *	QNAP Turbo System
Ethernet LAN data rates	10,100,1000 Mbit/s	Operating system version	4.3
Wi-Fi	✗	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
DHCP client	✓	Power	
DHCP server	✓	Power supply location	Built-in
Jumbo frames support	✓	Power supply unit (PSU) capacity	250 W
iSCSI support	✓	Number of power supply units	2
Wake-on-LAN ready	✓	AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50 - 60 Hz
USB port *	✓	Weight & dimensions	
USB 2.0 ports quantity	4	Width *	482 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Depth *	534 mm
Fiber ports quantity	2	Height *	89 mm
Fiber optic connector	SFP+		
Ethernet LAN (RJ-45) ports *	4		

**Design**

Chassis type \* Rack (2U)  
Cooling type \* Active

**Operational conditions**

Operating temperature (T-T) 0 - 40 °C  
Operating relative humidity (H-H) 5 - 95%



0885022013807



885022013807

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.