



HP Color LaserJet Pro MFP M479fdn, Print, copy, scan, fax, email, Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF

Brand : HP

Product family: Color LaserJet Pro **Product code:** W1A79A

Product name : HP Color LaserJet Pro MFP M479fdn, Print, copy, scan, fax, email, Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF

- Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF
 - Print, copy, scan, fax, email
 - Print speed up to 28 ppm (black) and 28 ppm (colour)
 - 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi
- Color LaserJet Pro MFP M479fdn

HP Color LaserJet Pro MFP M479fdn, Print, copy, scan, fax, email, Scan to email/PDF; Two-sided printing; 50-sheet uncurled ADF:

Winning in business means working smarter. The HP Color LaserJet Pro MFP M479 is designed to let you focus your time where it's most effective-growing your business and staying ahead of the competition.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Paper handling	
Duplex printing mode	Auto	Paper tray media weight	60 - 200 g/m ²
Print resolution colour	600 x 600 DPI	Ports & interfaces	
Print resolution black	600 x 600 DPI	Standard interfaces	Ethernet, USB
Print technology *	Laser	USB port	✓
Printing *	Colour printing	USB 2.0 ports quantity	1
Duplex printing *	✓	Network	
Maximum resolution *	600 x 600 DPI	Wi-Fi *	✗
Print speed (black, normal quality, A4/US Letter) *	27 ppm	Ethernet LAN *	✓
Print speed (colour, normal quality, A4/US Letter)	27 ppm	Cabling technology	10/100/1000Base-T(X)
Warm-up time	45 s	Ethernet LAN data rates	10,100,1000 Mbit/s
Time to first page (black, normal)	9.5 s	Bluetooth	✓
Print margin top (min)	4.23 mm	Security algorithms	HTTPS, SNMPv3, SSL/TLS, PEAP, SNMPv2, EAP-TLS
Print margin bottom (min)	4.23 mm	Mobile printing technologies	HP ePrint, Apple AirPrint, Mopria Print Service, Google Cloud Print
Print margin left (min)	4.23 mm	Performance	
Print margin right (min)	4.23 mm	Maximum internal memory	512 MB
N-in-1 print function	✓	Internal memory *	512 MB
Secure printing	✓	Built-in processor	✓
Copying		Processor frequency	1200 MHz
Duplex copying *	✓	Sound pressure level (printing)	49 dB
Copying *	Colour copying	Sound pressure level (scanning)	48 dB
Maximum copy resolution *	600 x 600 DPI	Sound power level (printing)	6.3 dB
Copy speed (black, normal quality, A4)	27 cpm	Design	
Copy speed (colour, normal quality, A4)	27 cpm	Product colour *	Grey, White
Time to first copy (black, normal)	9.5 s	Market positioning *	Business

Copying		Design	
Time to first copy (colour, normal)	11.1 s	Built-in display *	✓
Maximum number of copies	999 copies	Display	CGD
Copier resize	25 - 400%	Display diagonal	10.9 cm (4.3")
ID-card copy function	✓	Touchscreen	✓
Auto fit function	✓	Control type	Touch
Scanning		Colour display	✓
Duplex scanning *	✓	Power	
Scanning *	Colour scanning	Power consumption (average operating)	550 W
Optical scanning resolution *	1200 x 1200 DPI	Power consumption (PowerSave)	0.06 W
Maximum scan resolution	1200 x 1200 DPI	Power consumption (printing)	550 W
Maximum scan area	216 x 297 mm	Power consumption (ready)	20 W
Scanner type *	Flatbed & ADF scanner	Power consumption (sleep)	0.7 W
Scan technology	CIS	Power consumption (off)	0.06 W
Scan to	E-mail, Software, TWAIN, WIA, File	Energy Star Typical Electricity Consumption (TEC)	0.358 kWh/week
Scan speed (colour)	20 ppm	AC input voltage	110 - 240 V
Scan speed (black)	29 ppm	AC input frequency	50/60 Hz
Image formats supported	TIFF, JPG	Brand-specific features	
Document formats supported	PDF	HP ePrint	✓
Input colour depth	30 bit	HP Auto-On/Auto-Off	✓
Greyscale levels	256		HP Printer Assistant, HP Utility (Mac), HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (ABT) 192018996731; (ABY) 192018996748; (ACQ) 192018996755; (B13) 192018996762; (B19) 192018996779; (BAZ) 192018996786
Scan drivers	WIA, TWAIN	HP Security tools	
Fax		HP GTIN (EAN/UPC) with options	192018996731, 192018996748, 192018996755, 192018996762, 192018996779, 192018996786
Faxing *	Colour faxing	HP GTIN (EAN/UPC)	
Fax resolution (black)	300 x 300 DPI	System requirements	
Fax transmission speed	3 sec/page	Windows operating systems supported	Windows 8, Windows 11, Windows 8.1, Windows 7, Windows 10
Modem speed	33.6 Kbit/s	Mac operating systems supported	Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.12 Sierra
Fax memory	400 pages	Mobile operating systems supported	Android, iOS
Auto-redialing	✓	Other operating systems supported	iOS, Android
Speed dialling	✓	Operational conditions	
Fax speed dialling (max numbers)	120	Operating relative humidity (H-H)	20 - 70%
Fax forwarding	✓	Storage temperature (T-T)	-20 - 40 °C
Fax broadcasting	119 locations	Operating temperature (T-T)	10 - 32.5 °C
Fax delayed sending	✓	Certificates	
Auto reduction	✓	Certification	CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6
Features		Sustainability	
Recommended duty cycle	750 - 4000 pages per month	Sustainability compliance	✓
Maximum duty cycle *	50000 pages per month	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Duplex functions *	Print, Copy, Scan	Sustainable technologies and materials	Mercury free
Digital sender	✓		
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 5e, PCL 6, PostScript 3, URF, PWG, PDF		
Printer fonts	Scalable, TrueType		
All-In-One-multitasking	✓		
Country of origin	China		
HP segment	Business		
Input & output capacity			
Total number of input trays *	2		
Total input capacity *	300 sheets		
Total output capacity *	150 sheets		
Paper tray 1 input capacity	50 sheets		
Paper tray 2 input capacity	250 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	50 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		
Maximum number of input trays	3		

Input & output capacity		Sustainability	
Maximum input capacity	850 sheets	Doesn't contain	Mercury
Maximum output capacity	150 sheets	Weight & dimensions	
Paper handling		Width	416 mm
Maximum ISO A-series paper size *	A4	Depth	472 mm
Paper tray media types *	Envelopes, Rough paper, Labels, Glossy paper, Photo paper, Letterhead, Plain paper, Postcard, Bond paper, Recycled paper	Height	400 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Weight	23.4 kg
ISO B-series sizes (B0...B9)	B5	Packaging data	
ISO C-series sizes (C0...C9)	C5	Package width	597 mm
Non-ISO print media sizes	Oficio, 16K	Package depth	497 mm
JIS B-series sizes (B0...B9)	B5, B6	Package height	490 mm
Envelopes sizes	B5, C5, DL	Package weight	26.7 kg
Photo paper sizes	10x15 cm	Packaging content	
Custom media width	76 - 216 mm	Cartridge(s) included	✓
Custom media length	127 - 356 mm	Included cartridge capacity (black)	2400 pages
		Included cartridge capacity (CMY)	1200 pages
		Cables included	AC
		Warranty card	✓
		Logistics data	
		Harmonized System (HS) code	8443310000
		Technical details	
		Master (outer) cases per pallet layer	4 pc(s)
		Other features	
		Number of users	10 user(s)
		Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
		Acoustic power emissions (ready)	34 dB
		Acoustic pressure emissions bystander (ready)	14 dB



0192018996748




192018996748



0192018996786




192018996786



0192018996793




192018996793



0192018996755




192018996755



0192018996731



192018996731



0192018996779



192018996779



0192018996762



192018996762

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.