



HP OfficeJet Pro 7730 Wide Format All-in-One Printer, Print, copy, scan, fax, 35-sheet ADF; Front-facing USB printing; Two-sided printing

Brand : HP

Product family: OfficeJet Pro

Product code: Y0S19A

Product name : HP OfficeJet Pro 7730 Wide Format All-in-One Printer, Print, copy, scan, fax, 35-sheet ADF; Front-facing USB printing; Two-sided printing



OfficeJet Pro 7730 Wide Format All-in-One Printer

[HP OfficeJet Pro 7730 Wide Format All-in-One Printer, Print, copy, scan, fax, 35-sheet ADF; Front-facing USB printing; Two-sided printing:](#)

Get professional-quality colour that's ready for business. Easily print up to 27,9 x 43,18 cm (11 x 17 inches) (A3), at up to 50% less cost-per-page than laser, and handle high-volume printing needs.

Dynamic security

Dynamic security enabled printer



Product Disclaimer

Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges. **More at** <http://www.hp.com/learn/ds>

Printing		Paper handling	
Duplex printing mode	Auto	Custom media length	127 - 420 mm
Print resolution colour	4800 x 1200 DPI	Ports & interfaces	
Print resolution black	1200 x 1200 DPI	Standard interfaces	Ethernet, RJ-11, USB 2.0, Wireless LAN
Print technology *	Thermal inkjet	Direct printing *	✓
Printing *	Colour printing	USB port	✓
Duplex printing *	✓	USB 2.0 ports quantity	1
Maximum resolution *	4800 x 1200 DPI	RJ-11 ports quantity	1
Print speed (black, normal quality, A4/US Letter) *	22 ppm	Network	
Print speed (colour, normal quality, A4/US Letter)	18 ppm	Wi-Fi *	✓
Print speed (black, draft quality, A4/US Letter)	34 ppm	Ethernet LAN *	✓
Print speed (colour, draft quality, A4/US Letter)	34 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first page (black, normal)	9 s	Wi-Fi Direct	✓
Time to first page (colour, normal)	10 s	Security algorithms	HTTPS, SSL/TLS
Print margins (top, bottom, right, left)	3.3 mm	Mobile printing technologies	Google Cloud Print, Mopria Print Service
Secure printing	✓	Performance	
Borderless printing	✓	Maximum internal memory	512 MB
Copying		Card reader integrated	✗
Duplex copying *	✓	Internal memory *	512 MB
Copying *	Colour copying	Sound power level (printing)	6.8 dB
Maximum copy resolution *	600 x 600 DPI	Design	
Copy speed (black, normal quality, A4)	34 cpm	Product colour *	Black, White
Copy speed (colour, normal quality, A4)	34 cpm	Market positioning *	Home & office
Copy speed (black, draft, A4)	34 cpm	Built-in display *	✓
Copy speed (colour, draft, A4)	34 cpm	Display	LCD
Maximum number of copies	99 copies	Display diagonal	6.73 cm (2.65")
		Touchscreen	✓
		Control type	Touch

Copying		Design	
Copier resize	25 - 400%	Colour display	✓
ID-card copy function	✓	Power	
Auto fit function	✓	Power consumption (max)	29.4 W
Scanning		Power consumption (average operating)	29.4 W
Scanning *	Colour scanning	Power consumption (standby)	6.02 W
Optical scanning resolution *	1200 x 1200 DPI	Power consumption (sleep)	1.42 W
Maximum scan area	216 x 356 mm	Power consumption (off)	0.15 W
Scanner type *	Flatbed & ADF scanner	AC input voltage	100 - 240 V
Scan technology	CIS	AC input frequency	50/60 Hz
Scan to	E-mail Server, Fax, Software	Brand-specific features	
Scan speed (black)	8 inch/min	HP ePrint	✓
Scan speed (colour)	8 inch/min	HP Photo Creations	✓
Image formats supported	JPEG, PNG, TIFF, BMP	HP dynamic security	✓
Document formats supported	PDF	HP Software provided	HP Printer Software, Google Toolbar, HP Update
Input colour depth	24 bit	System requirements	
Greyscale levels	256	Windows operating systems supported	Windows 7, Windows 8.1, Windows Vista, Windows 10, Windows 8, Windows 11
Scan drivers	TWAIN	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.12 Sierra
TWAIN version	1.9	Other operating systems supported	Linux, ChromeOS
Fax		Operational conditions	
Duplex faxing	✓	Operating relative humidity (H-H)	20 - 80%
Faxing *	Colour faxing	Storage temperature (T-T)	-5 - 60 °C
Fax resolution (black)	300 x 300 DPI	Operating temperature (T-T)	5 - 40 °C
Fax resolution (colour)	200 x 200 DPI	Certificates	
Fax transmission speed	5 sec/page	Certification	CISPR 32: 2012/EN 55032: 2012 Class B, EN 55024: 2010, EN 61000-3-2: 2014, EN 61000-3-3:2013, FCC CFR 47, Part 15 Class B/ICES-003, Issue 6 Class B
Fax memory	100 pages		
Auto-redialing	✓	Sustainability	
Speed dialling	✓	Sustainability certificates	ENERGY STAR
Fax speed dialling (max numbers)	99	Weight & dimensions	
Fax forwarding	✓	Width	584.9 mm
Fax broadcasting	48 locations	Depth	444.8 mm
Fax delayed sending	✓	Height	385.8 mm
Auto reduction	✓	Weight	18.5 kg
Features		Packaging data	
Recommended duty cycle	250 - 1500 pages per month	Package width	677 mm
Maximum duty cycle *	30000 pages per month	Package depth	495 mm
Duplex functions *	Fax	Package height	487 mm
Digital sender	✓	Package weight	23.1 kg
Number of print cartridges *	4	Packaging content	
Printing colours *	Black, Cyan, Magenta, Yellow	Cartridge(s) included	✓
Page description languages	PCL 3 GUI	Included cartridge capacity (black)	1000 pages
All-In-One-multitasking	✓	Included cartridge capacity (CMY)	540 pages
Country of origin	China	Cables included	AC
HP segment	Small medium business	Bundled software	HP Printer Software, Google Toolbar, HP Update, Shop for Supplies Online, HP Photo Creations
Input & output capacity		Logistics data	
Total number of input trays *	2	Harmonized System (HS) code	84433100
Total input capacity *	250 sheets	Pallet gross weight	369 g
Total output capacity *	75 sheets	Layers per pallet	5 pc(s)
Paper input type	Paper tray	Products per pallet	15 pc(s)
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	35 sheets		
Maximum number of input trays	2		
Maximum input capacity	500 sheets		
Maximum output capacity	75 sheets		
Paper handling			
Maximum ISO A-series paper size *	A3		
Maximum print size	297 x 431.8 mm		

Paper handling		Technical details	
Paper tray media types *	Thick paper, Photo paper, Plain paper, Matte paper, Recycled paper, Glossy paper	Master (outer) cases per pallet layer	3 pc(s)
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Other features	
ISO C-series sizes (C0...C9)	C5, C6	Number of users	3 user(s)
Non-ISO print media sizes	Hagaki card	Pallet dimensions (W x D x H)	1220 x 1015 x 2562 mm
JIS B-series sizes (B0...B9)	B5	Windows® 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer. Windows Vista (32-bit only): 800 MHz 32-bit (x86) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer	
Envelopes sizes	C5, C6, DL	Recommended system requirements	8.Windows XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Borderless printing media sizes	A3	PictBridge	✘
Custom media width	76 - 297 mm	Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2562.9 mm (48 x 40 x 100.9")
		Pallet weight (imperial)	368.3 kg (812 lbs)
		Number of print heads	4



0190781037378



190781037378



0190781037460



190781037460



0190781037385



190781037385



0190781037392



190781037392



0190781037453



190781037453



0190781037477



190781037477



0190781037415



190781037415



0190781037484



190781037484



0190781037408



190781037408



0190781037422



190781037422



0190781037439



190781037439



0190781037491



190781037491



0190781037446



190781037446

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.